

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

HD 9070
1
05

(S)

COTTON QUALITY CROP OF 1973



PRODUCTION SECTION
GENERAL SERIAL RECORDS

SEP 11 '75

U.S. DEPT. OF AGRICULTURE
NATL. AGRIC. LIBRARY
RECEIVED

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 47, No. 9

October 1974

CONTENTS

	<u>Table No.</u>	<u>Page No.</u>
Introduction.		1
Map of Smith-Doxey Cotton Classing Office Territories		2
<u>UPLAND COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
1973-74	1	3
1972-73	2	4
During Specified Periods, 1973-74	3	5
By States, 1973-74.	8	9-23
During Specified Periods by States, 1973-74	9	24-31
By Classing Office Territories, 1973-74	10	32-45
Preparation and Grade Reductions		
United States and by States, 1973-74.	4	6
Grade Index and Average Staple		
United States and by States, 1970-1973.	5	7
Tenderability		
By States, 1973-74.	6	8
United States, 1956-1973.	7	8
Micronaire Readings		
United States and by States, 1973-74.	11	46
During Specified Periods, United States and by States, 1973-74.	12	47-50
By Classing Office Territories, 1973-74	13	51
Fiber Strength		
United States and by States, 1973-74.	14	52
During Specified Periods, United States and by States, 1973-74.	15	53-55
By Classing Office Territories, 1973-74	16	56
<u>AMERICAN PIMA COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
United States and by States, 1973-74.	17	57
During Specified Periods, 1973-74	18	58
Micronaire Readings		
United States and by States, 1973-74.	19	59

UNITED STATES DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE
 MARKET NEWS SECTION - COTTON DIVISION
 4841 SUMMER AVENUE - MEMPHIS, TN 38122

Cotton Quality - United States

1973 Crop

Introduction

The quality of cotton ginned in the United States from the 1973 crop is presented in this report. These quality estimates are based on the classification of samples representing approximately ten percent of the 1973 crop. The sample distributions of the various qualities of upland and American Pima cotton were raised to total ginnings as reported by the Bureau of the Census.

Quality statistics on the grade, staple, mike and fiber strength of the 1973 crop, by Smith-Doxey cotton classing office territories, by major cotton-producing states and by specified periods are presented in this report.

A report covering the qualities of cotton on hand in the United States on August 1, 1974, by principal types of storage, was released in mid-September. In addition to quality estimates of cotton in the carryover, this report included quality data on the crop, supply and disappearance of upland cotton for the 1973-74 season with comparative data for preceding years.

Upland cotton ginned from the 1973 crop contained the largest proportion of higher grades in six years, according to the Department of Agriculture, Agricultural Marketing Service. Cotton in the lengths 34 and longer comprised a slightly smaller proportion of ginnings. Close to one-fourth of the 1973 crop stapled 31 and shorter, the largest proportion of these lengths since the 1966 crop. The 1973 crop contained a larger proportion of cotton miking in the 3.5-4.9 range than a year earlier. Fiber test results indicate that the 1973 crop averaged somewhat stronger than that of a year ago.

Grade Index Up Sharply

The grade index of the 1973 crop was 92.3 (grade 31=100). This compares with 89.2 a year earlier and is the highest grade index since 1968. Cotton grading in the 31 and higher White categories accounted for nearly 19 percent of the 1973-74 season total. This is up sharply from the preceding crop's eight percent and is the largest proportion of any crop since 1967. Grade 41 accounted for 39 percent of ginnings, the largest percentage of this grade in any crop on record. The lower White and the Light Spotted grades comprised smaller proportions of the 1973 crop than a year earlier.

Shorter Average Staple

The average staple length of upland cotton ginned from the 1973 crop was 33.3 thirty-seconds inches, the shortest since 1966. The 1972 average was 33.5 thirty-seconds and two years ago, the average was 33.8. The shorter lengths, staples 31 and shorter, accounted for 24 percent of the 1973 crop against 16 percent a year earlier. About 16 percent of total ginnings was in the two staples 32 and 33 compared with 19 percent in the previous crop. Ginnings of cotton stapling 34 and longer accounted for about 60 percent of the 1973 crop against 65 percent last year and 73 percent two years ago.

American Pima - High Quality


American Pima cotton ginned from the 1973 crop contained a substantially larger proportion of the higher grades than a year earlier. There was a slight increase in the percentage of longer staples. Grade 3 and higher accounted for 50 percent of total ginnings against the preceding year's eight percent. The staples 46 and longer comprised a little over four percent of this year's crop which was up slightly from a year ago.

Cotton Ginnings

Cotton ginned from the 1973 crop totaled 12,611,000 bales, according to the Bureau of the Census. This compares with the 1972 crop of 13,269,000 bales. The 1973 American Pima crop totaled 78,100 bales against the 1972 crop of 93,900 bales.

October 18, 1974

DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES



EACH DOT REPRESENTS 5,000 BALES
GINNINGS FROM 1972 CROP

Table 1. -- Grade and staple of upland cotton ginned in the United States, 1973-74

Grade	Code	Staple Code (32nd inches)															40 and longer	All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39						
Bales		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
White:																				
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	25	9	45	-	-	-	79	0.5
S.M.	(21)	-	463	1,452	3,339	2,489	647	1,164	11,892	28,183	9,738	693	-	-	-	-	-	-	60,060	18.1
M.	(31)	571	9,060	67,153	263,674	263,985	142,025	63,343	279,771	878,182	270,760	12,245	23	9	79	2,251,093	38.9	2,251,093	38.9	
S.L.M.	(41)	13	1,229	3,737	3,961	3,092	3,092	3,295	18,022	96,979	61,034	1,705	87	53	67	4,853,449	1.4	4,853,449	1.4	
L.M.	(51)	-	112	743	2,294	2,996	4,447	9,154	64,495	69,720	17,280	696	54	-	-	-	-	171,991	13.5	
S.G.O.	(61)	-	455	5,663	46,461	79,914	82,741	125,456	772,402	518,983	62,315	3,202	117	-	9	1,697,718	0.1	1,697,718	0.1	
S.G.O.	(71)	-	-	9	100	129	438	901	7,162	6,492	1,255	141	-	-	-	-	-	16,627	1.6	
G.O.	(81)	-	52	661	13,444	16,566	16,375	20,965	82,138	45,607	5,243	285	9	-	-	-	-	201,345	0.2	
G.O.	(91)	-	-	-	15	10	20	75	134	46	34	-	-	-	-	-	-	334	75.8	
G.O.	(101)	-	-	173	1,701	1,946	2,461	3,756	9,549	4,409	299	40	-	-	-	-	-	24,334	-	
Total		877	18,064	145,929	681,673	884,065	695,303	549,984	2,883,798	2,882,281	698,637	29,708	983	62	155	9,471,519	-	9,471,519	-	
Light Spotted:																				
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	95	303	1,058	455	162	362	1,153	1,072	107	11	-	-	-	-	-	4,778	7.6	
M.	(32)	310	5,801	48,631	231,371	289,976	149,634	49,092	98,861	73,686	7,862	2,446	22	-	-	-	-	957,692	10.4	
S.L.M.	(42)	114	2,763	24,827	164,383	235,577	170,950	133,343	415,820	148,345	11,537	911	27	-	-	-	-	1,308,597	3.9	
L.M.	(52)	-	541	6,924	79,861	83,753	53,172	55,720	149,671	54,151	4,300	458	86	-	-	-	-	488,637	21.9	
Total		424	9,200	80,685	476,673	609,761	373,918	238,517	665,505	277,254	23,806	3,826	135	-	-	-	-	2,759,704	-	
Spotted:																				
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	14	69	47	24	28	90	96	122	-	-	-	-	-	-	-	490	0.3	
M.	(33)	53	704	3,781	13,479	10,095	4,789	4,096	3,605	1,057	162	11	-	-	-	-	-	41,832	0.8	
S.L.M.	(43)	249	1,075	4,968	14,366	12,295	8,414	17,436	30,765	5,776	344	37	-	-	-	-	-	95,725	0.6	
L.M.	(53)	105	611	3,560	9,782	8,382	7,703	16,336	23,129	5,221	332	55	-	-	-	-	-	75,216	1.7	
Total		407	2,404	12,378	37,674	30,796	20,934	37,958	57,595	12,176	838	103	-	-	-	-	-	213,263	-	
Tinged:																				
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	11	70	135	295	141	84	192	202	42	-	-	-	-	-	-	-	9	9	
S.L.M.	(44)	26	130	361	342	113	216	852	483	35	9	-	-	-	-	-	-	1,172	2,567	
L.M.	(54)	19	71	181	218	139	353	681	522	60	9	-	-	-	-	-	-	2,533	6,001	
Total		56	271	677	855	393	653	1,725	1,216	137	18	-	-	-	-	-	-	62	-	
Stained:																				
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	6	-	-	-	-	-	47	9	-	-	-	-	-	62	-	-
Total		-	-	-	6	-	-	-	-	-	47	9	-	-	-	-	-	62	-	-
Light Gray:																				
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	9	21	40	-	75	247	414	114	-	-	-	-	-	-	11	920	0.1
M.	(36)	-	-	50	313	301	191	670	3,541	2,583	512	-	-	-	-	-	-	8,161	5,726	-
S.L.M.	(46)	-	-	18	338	205	334	1,203	2,061	1,318	249	-	-	-	-	-	-	2,567	2,533	-
Total		-	-	77	672	546	525	1,948	5,849	4,326	875	-	-	-	-	-	-	14,818	-	-
Gray:																				
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	7	46	9	24	140	19	37	-	-	-	-	-	-	-	5	282	-
S.L.M.	(47)	-	-	8	73	14	62	166	269	264	52	-	-	-	-	-	-	908	1,195	-
Total		-	-	15	119	23	86	306	293	301	52	-	-	-	-	-	-	1,195	-	-
Below Grade																				
		712	1,119	2,553	10,235	9,337	12,214	10,900	15,128	3,942	199	-	-	-	-	-	-	66,339	0.5	-
All grades																				
		2,476	31,058	242,314	1,207,907	1,534,921	1,103,633	841,338	3,629,384	3,180,464	724,434	33,637	1,118	62	155	12,532,901 1/2	100.0	12,532,901 1/2	100.0	-
All grades																				
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.2	1.9	9.6	12.2	8.8	6.7	29.1	25.4	5.8	0.3	-	-	-	-	-	-	100.0	-	-
1/2 As reported by the Bureau of the Census, running bales.																				
* Less than 0.05 percent.																				
Percentage rough preparation....																				
Grade index.....																				
Average staple.....																				
33.3																				

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1972-73 1/

Grade	Code	Staple Code (32nd inches)														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer		
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	39	34	24	-	12	-	-	-	109	•
S.M.	(21)	-	-	64	241	118	144	1,332	6,160	12,597	3,633	719	11	-	-	25,019	0.2
M.	(31)	-	-	-	57	-	12	-	21	100	48	-	-	-	-	238	-
S.I.M.+	(41)	-	108	1,906	18,554	27,068	18,691	32,880	196,694	464,726	301,354	15,153	542	-	-	1,077,676	8.2
L.M.+	(51)	-	-	45	371	605	690	2,188	21,033	75,164	91,622	5,928	522	-	9	198,177	1.5
S.G.O.+	(61)	-	131	4,005	56,729	172,549	236,652	304,379	1,913,788	1,199,977	341,073	39,089	2,652	11	111	4,271,146	32.3
G.O.	(71)	-	86	2,280	31,353	115,349	191,357	352,566	1,295,043	613,257	18,264	2,778	180	14	41	195,694	1.5
		-	11	152	235	675	1,479	6,666	4,381	695	65	65	399	14	36	2,685,781	20.4
		-	27	660	5,640	13,568	31,455	94,469	181,341	81,627	12,000	224	7	14	27	14,359	0.1
		-	8	91	1,288	1,500	6,865	14,295	24,295	16,454	1,626	11	65	-	-	727	•
Total		-	372	9,152	115,501	333,924	492,527	814,415	3,732,904	2,534,732	849,687	68,648	4,378	39	224	8,956,503	67.9
Light Spotted:																	
G.M.	(12)	-	-	7	-	-	12	-	-	-	-	-	-	-	-	19	•
S.M.	(22)	-	21	145	379	345	128	346	982	412	90	-	-	-	-	2,848	•
M.	(32)	21	564	9,596	94,327	119,509	83,353	42,589	72,978	36,971	16,209	4,602	127	-	32	480,878	3.7
S.I.M.	(42)	17	623	15,685	178,695	358,325	302,938	217,419	534,932	161,164	31,741	5,347	190	14	44	1,807,134	13.7
L.M.	(52)	-	282	7,261	78,843	169,057	144,325	127,852	215,854	61,832	7,928	458	9	-	-	813,701	6.2
Total		38	1,490	32,694	352,244	647,236	530,756	388,206	824,746	260,379	55,968	10,407	326	14	76	3,104,580	23.6
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	29	384	142	85	62	22	100	12	-	-	-	-	836	•
M.	(33)	12	232	7,045	40,258	24,731	10,640	7,179	6,027	2,570	807	34	-	-	-	99,535	0.8
S.I.M.	(43)	8	807	27,683	119,904	85,520	45,451	32,109	39,469	10,060	1,732	125	-	-	-	362,868	2.8
L.M.	(53)	47	760	14,047	62,680	57,329	34,962	29,241	28,326	7,088	808	78	-	-	8	235,374	1.8
Total		67	1,799	48,804	223,226	167,722	91,138	66,591	73,844	19,818	3,359	237	-	-	8	698,613	5.4
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	•
S.M.	(24)	-	-	14	44	-	1,146	392	338	136	54	-	-	-	-	58	•
M.	(34)	8	305	5,650	15,539	4,744	1,145	1,056	271	55	271	-	-	-	-	28,312	0.2
S.I.M.	(44)	1	1,387	34,057	61,336	16,890	4,145	1,577	1,056	271	55	-	-	-	8	120,790	0.9
L.M.	(54)	43	829	11,374	18,315	6,079	1,938	1,267	874	277	26	10	-	-	-	41,032	0.3
Total		59	2,521	51,095	95,234	27,713	7,229	3,248	2,268	684	135	10	-	-	8	190,204	1.4
Stained:																	
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	8	-	-	-	-	-	-	-	-	-	-	-	8	•
M.	(35)	-	61	171	133	59	-	-	38	-	-	-	-	-	12	474	•
Total		-	61	179	133	59	-	-	38	-	-	-	-	-	12	482	•
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	14	-	14	495	5,579	21,147	13,610	1,816	-	-	-	-	1,747	•
M.	(36)	-	-	-	51	144	109	1,953	17,506	19,679	2,143	-	-	-	-	42,842	0.3
S.I.M.	(46)	-	-	21	154	109	1,953	17,506	15,562	19,679	2,143	-	-	-	-	57,127	0.4
Total		-	-	35	205	267	2,448	23,321	37,481	33,904	4,055	-	-	-	-	101,716	0.7
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	•
M.	(37)	-	-	-	63	22	66	380	754	853	70	-	-	-	-	2,208	•
S.I.M.	(47)	-	-	-	106	16	325	1,691	1,964	3,004	51	-	-	-	-	7,157	0.1
Total		-	-	-	169	38	391	2,071	2,718	3,874	121	-	-	-	-	9,362	0.1
Below Grade		222	4,963	14,877	15,252	10,752	21,098	18,592	20,007	7,675	535	30	30	-	9	114,042	0.9
All grades		386	11,206	156,836	801,964	1,187,711	1,145,587	1,318,444	4,694,006	2,861,066	913,860	79,332	4,734	53	337	13,175,522 2/	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		•	0.1	1.2	6.1	9.0	8.7	10.0	35.7	21.7	6.9	0.6	•	•	•	100.0	
1/ Revised.																	
2/ As reported by the Bureau of the Census, running bales.																	
• Less than 0.05 percent.																	
Percentage rough preparation....																	
Grade index.....																	
Average staple.....																	
89.2																	
33.5																	

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1973-74

Grade and staple		Prior to Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop	Prior Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
White:															
G.M.	(11)	-	-	47	32	-	-	79	-	-	*	*	-	-	-
S.M.	(21)	109	2,329	32,175	19,467	3,974	2,006	60,060	0.1	0.6	0.7	0.5	0.2	0.2	0.5
M.+	(30)	-	108	683	150	189	82	1,212	-	*	*	*	*	*	*
M.	(31)	5,390	36,624	637,610	830,957	438,939	101,573	2,251,093	4.0	10.1	18.5	20.0	18.5	10.2	18.1
S.L.M.+	(40)	595	3,547	101,738	68,250	16,472	2,675	193,277	0.4	1.0	2.3	1.6	0.7	0.3	1.5
S.L.M.	(41)	37,220	116,794	1,966,551	1,629,732	783,905	319,247	4,853,449	27.7	32.5	43.6	39.3	33.3	32.1	38.9
L.M.+	(50)	757	6,783	89,874	58,553	13,115	2,909	171,991	0.6	1.9	2.0	1.4	0.6	0.3	1.4
L.M.	(51)	25,509	55,734	652,612	632,025	268,542	63,296	1,697,718	18.9	15.4	14.5	15.2	11.3	6.4	13.5
S.G.O.+	(60)	55	514	6,837	6,641	2,074	506	16,627	*	0.1	0.2	0.2	0.1	0.1	0.1
S.G.O.	(61)	2,983	8,606	46,930	63,555	52,695	26,576	201,345	2.2	2.4	1.0	1.5	2.2	2.7	1.6
G.O.+	(70)	-	-	147	76	59	52	334	-	-	*	*	*	*	*
G.O.	(71)	248	867	3,709	5,495	6,338	7,677	24,334	0.2	0.2	0.1	0.1	0.3	0.8	0.2
Total		72,866	231,906	3,738,913	3,314,933	1,586,302	526,599	9,471,519	54.1	64.2	82.9	79.8	67.2	53.1	75.8
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	22	10	1,830	2,026	755	135	4,778	-	-	-	-	-	-	-
M.	(32)	2,620	15,224	142,717	278,769	327,135	191,227	957,692	1.9	4.2	3.2	6.7	13.8	19.3	7.6
S.L.M.	(42)	35,805	63,276	413,162	359,446	282,422	154,486	1,308,597	26.6	17.5	9.1	8.6	11.9	15.6	10.4
L.M.	(52)	12,112	26,084	162,390	142,060	101,376	44,615	488,637	9.0	7.2	3.6	3.4	4.3	4.5	3.9
Total		50,559	104,594	720,099	782,301	711,688	390,463	2,759,704	37.5	28.9	15.9	18.7	30.0	39.4	21.9
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	141	193	126	30	490	-	-	-	-	-	-	-
M.	(33)	386	219	4,993	7,779	15,306	13,149	41,832	0.3	0.1	0.1	0.2	0.6	1.3	0.3
S.L.M.	(43)	6,461	7,903	18,975	19,846	24,524	18,016	95,725	4.8	2.2	0.4	0.5	1.0	1.8	0.8
L.M.	(53)	3,426	10,705	16,457	15,732	14,562	14,334	75,216	2.5	3.0	0.4	0.4	0.6	1.4	0.6
Total		10,273	18,827	40,566	43,550	54,518	45,529	213,263	7.6	5.3	0.9	1.1	2.2	4.5	1.7
Tinged:															
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	9	-	9	-	-	-	-	-	-	-
M.	(34)	22	10	105	128	399	508	1,172	*	*	*	*	*	0.1	*
S.L.M.	(44)	66	221	159	301	888	932	2,567	*	0.1	*	*	*	0.1	*
L.M.	(54)	54	518	288	299	393	701	2,253	*	0.1	*	*	*	0.1	*
Total		142	749	552	728	1,689	2,141	6,001	*	0.2	*	*	*	0.3	*
Stained:															
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	33	9	20	62	-	-	-	*	*	*	*
Total		-	-	-	33	9	20	62	-	-	-	*	*	*	*
Light Gray:															
G.M.	(16)	-	-	-	11	-	-	11	-	-	-	*	-	-	*
S.M.	(26)	-	-	215	401	259	45	920	-	-	-	*	-	-	*
M.	(36)	447	434	1,867	2,822	1,938	657	8,161	0.3	0.1	*	0.1	0.1	0.1	0.1
S.L.M.	(46)	87	189	589	1,705	1,104	2,048	5,726	0.1	0.1	*	*	*	0.2	*
Total		534	623	2,671	4,939	3,301	2,750	14,818	0.4	0.2	*	0.1	0.1	0.3	0.1
Gray:															
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	5	-	5	-	-	-	-	*	-	*
M.	(37)	22	-	24	60	45	131	282	*	-	*	*	*	*	*
S.L.M.	(47)	22	10	82	198	145	451	908	*	*	*	*	*	*	*
Total		44	10	106	258	195	582	1,195	*	*	*	*	*	*	*
Below Grade		547	4,448	12,880	13,088	11,991	23,385	66,339	0.4	1.2	0.3	0.3	0.5	2.4	0.5
All grades		134,965	361,157	4,515,787	4,159,830	2,369,693	991,469	12,532,901	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Grade index		88.4	89.7	92.6	92.6	92.4	91.2	92.3	-	-	-	-	-	-	-
Staple code (32nd inches)															
26 and shorter		-	-	679	1,089	289	419	2,476	-	-	*	*	*	*	*
28		-	-	5,300	20,252	4,136	1,370	31,058	-	-	0.1	0.5	0.2	0.1	0.2
29		34	319	22,312	140,235	68,008	11,406	242,314	*	0.1	0.5	3.4	2.9	1.2	1.9
30		604	4,463	100,340	452,327	492,757	157,416	1,207,907	0.4	1.2	2.2	10.9	20.8	15.9	9.6
31		4,290	36,923	155,348	458,485	568,390	311,485	1,534,921	3.2	10.2	3.4	11.0	23.8	31.4	12.2
32		8,816	66,653	93,295	301,908	349,879	283,082	1,103,633	6.5	18.5	2.1	7.3	14.8	28.6	8.8
33		16,738	50,387	235,745	280,763	159,983	97,722	841,338	12.4	14.0	5.2	6.7	6.8	9.9	6.7
34		75,659	116,034	1,887,947	1,085,555	378,730	85,459	3,629,384	56.2	32.0	41.9	26.1	16.0	8.6	29.1
35		28,769	54,893	1,681,203	1,090,608	293,486	31,505	3,180,464	21.3	15.2	37.2	26.2	12.4	3.2	25.4
36		55	27,640	317,353	316,132	51,930	11,324	724,434	*	7.7	7.0	7.6	2.2	1.1	5.8
37		-	3,597	16,056	11,912	1,806	266	33,637	-	1.0	0.4	0.3	0.1	*	0.3
38		-	248	187	468	205	10	1,118	-	0.1	*	*	*	*	*
39		-	-	-	-	57	5	62	-	-	-	-	*	*	*
40 and longer		-	-	22	96	37	-	155	-	-	-	-	-	-	*
All staples		134,965	361,157	4,515,787	4,159,830	2,369,693	991,469	12,532,901 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		33.8	33.5	34.2	33.2	32.1	31.7	33.3	-	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1973-74

State	Preparation			Grade Reductions by Causes 1/								Total	
	Normal Bales	Rough Preparation		Bark Bales	Grass Bales	Motes Bales	Oil Bales	Sand and Dust Bales	Seed Bales	Spindle Twist Bales	Stems Bales		Other Bales
		Prep. 3 and 4 Bales	Gin Cut Bales										
Virginia	1,911	-	-	11	150	-	-	-	-	-	-	-	161
North Carolina	164,829	43	-	1,510	19,609	164	-	-	-	-	-	-	21,283
South Carolina	286,662	-	-	1,040	33,427	-	30	-	-	12	-	-	34,509
Georgia	376,519	62	-	9,687	14,384	-	-	-	30	-	-	-	24,101
Florida	12,009	-	-	324	272	-	-	-	-	9	-	-	605
Alabama	443,916	59	-	1,642	28,871	-	83	47	-	112	12	-	30,767
Mississippi	1,747,887	402	-	24,325	100,821	-	285	-	8	13	663	-	126,115
Kentucky	226	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	423,832	19	-	3,015	32,182	-	72	-	-	19	-	-	35,288
Missouri	177,102	213	-	486	2,570	-	22	-	-	8	11	-	3,097
Arkansas	1,013,948	55	-	2,831	29,972	-	87	-	-	-	197	-	33,087
Louisiana	507,466	86	-	4,963	17,712	-	89	-	-	-	-	-	22,764
Oklahoma	410,914	94	-	50,252	1,882	-	-	-	-	-	-	-	52,134
Texas	4,468,277	1,446	14	420,098	25,071	18	491	1,809	828	109	24	505	448,953
New Mexico	133,135	153	-	5,717	2,468	-	11	15	54	-	-	38	8,303
Arizona	605,129	117	-	27,695	5,837	-	5	5	717	40	32	-	34,331
Nevada	1,813	-	-	1	14	-	-	-	-	-	-	-	15
California	1,754,096	467	-	6,798	56,415	-	192	17	336	316	29	-	64,103
United States	12,529,671	3,216	14	560,395	371,657	182	1,367	1,893	1,973	638	968	543	939,616

1/ Cotton reduced in grade for reasons other than preparation.

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1970-1973

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1970	1971	1972	1973	1970	1971	1972	1973
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	87.7	83.4	82.8	87.1	33.8	33.8	34.3	34.8
North Carolina	88.4	85.1	88.0	88.7	33.9	34.3	34.6	34.8
South Carolina	87.6	85.3	87.9	88.1	34.1	34.7	34.7	34.8
Georgia	86.8	85.3	89.2	88.0	33.3	33.9	33.8	34.1
Florida	86.1	85.8	90.3	88.3	33.3	34.0	33.9	34.0
Alabama	90.2	89.7	88.1	89.5	33.5	34.1	33.6	33.6
Mississippi	89.6	90.7	89.5	89.9	34.4	34.9	34.4	34.4
Kentucky	94.1	94.9	92.8	93.0	33.9	34.3	33.9	33.6
Tennessee	91.6	92.0	89.0	91.5	33.8	34.2	33.8	33.8
Missouri ¹	91.4	93.3	88.4	92.2	34.0	34.9	34.0	34.1
Arkansas	90.0	92.0	88.8	91.1	34.2	35.0	34.2	34.3
Louisiana	91.6	92.2	90.6	90.3	34.1	34.6	34.1	34.2
Oklahoma	91.5	83.4	88.2	91.6	31.4	31.1	31.6	31.7
Texas	91.7	84.8	87.1	92.8	31.4	31.1	31.7	31.3
New Mexico	95.1	93.8	91.0	96.5	35.9	35.7	35.2	34.8
Arizona	96.0	93.7	90.4	96.5	34.2	34.2	34.1	34.6
Nevada	99.7	98.2	97.0	99.1	35.8	36.0	36.0	36.0
California	96.2	96.6	94.3	96.1	35.3	35.6	35.3	35.3
United States	91.6	89.9	89.2	92.3	33.4	33.8	33.5	33.3

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical staple codes (32nd inches).

Table 6. -- Tenderability of upland cotton ginned, by states, 1973-74

State	Tenderable <u>1/</u>		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	1,546	80.9	365	19.1	1,911	100.0
North Carolina	117,799	71.4	47,073	28.6	164,872	100.0
South Carolina	176,794	61.7	109,868	38.3	286,662	100.0
Georgia	232,648	61.8	143,933	38.2	376,581	100.0
Florida	9,640	80.3	2,369	19.7	12,009	100.0
Alabama	267,435	60.2	176,540	39.8	443,975	100.0
Mississippi	1,183,793	67.7	564,496	32.3	1,748,289	100.0
Kentucky	152	67.3	74	32.7	226	100.0
Tennessee	259,042	61.1	164,809	38.9	423,851	100.0
Missouri	125,164	70.6	52,151	29.4	177,315	100.0
Arkansas	675,119	66.6	338,884	33.4	1,014,003	100.0
Louisiana	303,311	59.8	204,241	40.2	507,552	100.0
Oklahoma	185,401	45.1	225,607	54.9	411,008	100.0
Texas	2,823,318	63.2	1,646,419	36.8	4,469,737	100.0
New Mexico	68,443	51.3	64,845	48.7	133,288	100.0
Arizona	440,863	72.8	164,383	27.2	605,246	100.0
Nevada	1,379	76.1	434	23.9	1,813	100.0
California	1,495,163	85.2	259,400	14.8	1,754,563	100.0
All states	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0

1/ Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1956-1973

Year	Tenderable <u>1/</u>		Untenderable		Total crop <u>2/</u>	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972 <u>3/</u>	7,279,575	55.3	5,895,947	44.7	13,175,522	100.0
1973	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0

1/ Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

2/ As reported by the Bureau of the Census, running bales.

3/ Revised.

Table 8. -- Grade and staple of upland cotton ginned in North Carolina, 1973-74

Grade	Code	Staple Code (32nd inches)														40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		Percent	Bales
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	56	35	-	-	-	-	-	-	91	0.1
M.+	(30)	-	-	-	-	-	-	-	23	62	12	-	-	-	-	-	97	0.1
M.	(31)	-	-	-	-	-	-	-	601	2,099	149	27	-	-	-	-	2,876	1.7
S.L.M.+	(40)	-	-	-	-	-	-	-	28	196	39	-	-	-	-	-	263	0.2
S.L.M.	(41)	-	-	-	-	-	12	29	12,829	51,218	1,179	12	-	-	-	-	65,279	39.6
L.M.+	(50)	-	-	-	-	-	-	-	3,445	14,615	870	12	-	-	-	-	18,942	11.5
L.M.	(51)	-	-	-	-	-	12	10	9,455	44,977	1,541	67	-	-	-	-	56,062	34.0
S.G.O.+	(60)	-	-	-	-	-	-	-	452	1,489	56	-	-	-	-	-	1,997	1.2
S.G.O.	(61)	-	-	-	-	-	-	-	2,083	7,280	195	-	-	-	-	-	9,558	5.8
G.O.+	(70)	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	12	0.7
G.O.	(71)	-	-	-	-	-	-	5	500	709	-	-	-	-	-	-	1,214	0.7
Total		-	-	-	-	-	24	44	29,472	122,680	4,053	118	-	-	-	-	156,391	94.9
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	117	143	-	-	-	-	-	-	260	0.2
S.L.M.	(42)	-	-	-	-	-	-	-	1,147	2,711	125	12	-	-	-	-	3,995	2.4
L.M.	(52)	-	-	-	-	-	-	-	751	2,061	92	-	-	-	-	-	2,904	1.8
Total		-	-	-	-	-	-	-	2,015	4,915	217	12	-	-	-	-	7,159	4.4
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	10	24	-	-	-	-	-	-	34	0.1
S.L.M.	(43)	-	-	-	-	-	-	-	43	179	-	-	-	-	-	-	222	0.1
L.M.	(53)	-	-	-	-	-	-	-	114	167	-	-	-	-	-	-	281	0.2
Total		-	-	-	-	-	-	-	167	370	-	-	-	-	-	-	537	0.3
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	10	0.1
L.M.	(54)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1
Total		-	-	-	-	-	-	-	9	10	-	-	-	-	-	-	19	0.2
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	20	0.1
Total		-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	20	0.2
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	24	0.1
Total		-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	24	0.2
Below Grade																		
		-	-	-	-	-	12	5	435	261	9	-	-	-	-	-	722	0.4
All grades																		
		-	-	-	-	-	36	49	32,132	128,246	4,279	130	-	-	-	-	164,872 1/2	100.0
All grades																		
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	-	-	-	-	-	19.5	77.8	2.6	0.1	-	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, running bales.																		
* Less than 0.05 percent.																		
Percentage rough preparation....																		
Grade index.....																		
Average staple.....																		
88.7																		
34.8																		

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														26 and shorter Bales	All staples				
		28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales		Percent	Bales	Percent		
White:																					
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(31)	-	-	-	-	-	14	83	-	-	-	-	-	-	-	-	97	0.8	0.1		
S.L.M.+	(40)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	9	-	-		
S.L.M.	(41)	-	-	-	-	-	134	4,225	172	-	-	-	-	-	-	-	4,531	37.7	37.7		
L.M.+	(50)	-	-	-	-	-	14	484	10	-	-	-	-	-	-	-	508	4.2	4.2		
L.M.	(51)	-	-	-	-	-	298	4,370	313	-	-	-	-	-	-	-	4,981	41.4	41.4		
S.G.O.+	(60)	-	-	-	-	-	-	19	-	-	-	-	-	-	-	-	19	0.2	0.2		
S.G.O.	(61)	-	-	-	-	10	140	215	-	-	-	-	-	-	-	-	365	3.0	3.0		
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
G.O.	(71)	-	-	-	-	-	15	-	-	-	-	-	-	-	-	-	15	0.1	0.1		
Total		-	-	-	-	10	615	9,405	495	-	-	-	-	-	-	-	10,525	87.5	87.5		
Light Spotted:																					
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(32)	-	-	-	-	-	-	18	14	-	-	-	-	-	-	-	32	0.3	0.3		
S.L.M.	(42)	-	-	-	-	-	145	611	14	-	-	-	-	-	-	-	770	6.4	6.4		
L.M.	(52)	-	-	-	-	-	176	287	-	-	-	-	-	-	-	-	463	3.9	3.9		
Total		-	-	-	-	-	321	916	28	-	-	-	-	-	-	-	1,265	10.6	10.6		
Spotted:																					
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.	(43)	-	-	-	-	-	26	28	-	-	-	-	-	-	-	-	54	0.5	0.5		
L.M.	(53)	-	-	-	-	5	38	44	-	-	-	-	-	-	-	-	87	0.7	0.7		
Total		-	-	-	-	5	64	72	-	-	-	-	-	-	-	-	141	1.2	1.2		
Light Gray:																					
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.	(46)	-	-	-	-	-	5	18	-	-	-	-	-	-	-	-	23	0.2	0.2		
Total		-	-	-	-	-	5	18	-	-	-	-	-	-	-	-	23	0.2	0.2		
Below Grade																					
		-	-	-	-	-	-	20	-	-	-	-	-	-	-	-	55	0.5	0.5		
All grades																					
		-	-	-	-	15	1,040	10,431	523	-	-	-	-	-	-	-	12,009	100.0	100.0		
All grades																					
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent		
		-	-	-	-	-	0.1	8.7	86.8	4.4	-	-	-	-	-	-	100.0	-	-		
1/ As reported by the Bureau of the Census, running bales.																					
Percentage rough preparation...																					
Grade index.....																					
Average staple.....																					
- 88.3 34.0																					

Table 8 -- Grade and staple of upland cotton ginned in Alabama, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)													40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39		Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	25	13	263	188	32	-	-	-	-	521	-	0.1
M.+	(30)	-	-	-	-	-	-	26	-	-	-	-	-	-	26	-	-
M.	(31)	-	-	-	12	81	743	7,802	6,078	609	-	-	-	-	15,325	-	3.5
S.L.M.+	(40)	-	-	-	-	-	-	285	881	76	-	-	-	-	1,242	-	0.3
S.L.M.	(41)	-	-	12	32	348	4,272	75,349	101,185	14,345	200	13	-	-	195,756	-	44.2
L.M.+	(50)	-	-	-	-	-	96	3,108	7,980	1,873	-	-	-	-	13,057	-	2.9
L.M.	(51)	-	-	-	-	70	1,843	39,293	61,714	9,014	150	-	-	-	112,084	-	25.2
S.G.O.+	(60)	-	-	-	-	-	-	65	254	31	-	-	-	-	350	-	0.1
S.G.O.	(61)	-	-	-	14	32	274	3,518	4,841	462	20	-	-	-	9,161	-	2.1
G.O.+	(70)	-	-	-	-	-	-	-	11	-	-	-	-	-	11	-	-
G.O.	(71)	-	-	-	-	-	21	343	239	47	-	-	-	-	650	-	0.1
Total		-	-	12	58	556	7,262	130,052	183,371	26,489	370	13	-	-	348,183	-	78.5
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	23	147	131	11	-	-	-	-	312	-	0.1
M.	(32)	-	-	-	23	35	365	3,636	3,067	123	-	-	-	-	7,249	-	1.6
S.L.M.	(42)	-	-	-	-	63	917	20,931	22,890	1,729	61	-	-	-	46,591	-	10.5
L.M.	(52)	-	-	-	12	13	448	7,808	10,854	982	68	-	-	-	20,185	-	4.5
Total		-	-	-	35	111	1,753	32,522	36,942	2,845	129	-	-	-	74,337	-	16.7
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	9	51	17	-	-	-	-	-	77	-	-
M.	(33)	-	-	-	-	12	69	998	319	31	-	-	-	-	1,429	-	0.3
S.L.M.	(43)	-	-	-	-	-	272	5,201	2,855	213	-	-	-	-	8,541	-	1.9
L.M.	(53)	-	-	-	18	14	366	2,747	1,766	131	-	-	-	-	5,062	-	1.1
Total		-	-	-	18	26	736	8,997	4,957	375	-	-	-	-	15,109	-	3.3
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	9	-	-	-	-	-	9	-	-
M.	(34)	-	-	-	-	-	20	151	84	-	-	-	-	-	255	-	0.1
S.L.M.	(44)	-	-	-	-	-	47	505	174	-	-	-	-	-	726	-	0.2
L.M.	(54)	-	-	-	-	-	48	156	73	-	-	-	-	-	277	-	0.1
Total		-	-	-	-	-	115	812	340	-	-	-	-	-	1,267	-	0.4
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	13	-	17	18	-	-	-	-	-	48	-	-
M.	(36)	-	-	-	-	-	-	124	162	18	-	-	-	-	304	-	0.1
S.L.M.	(46)	-	-	-	-	-	165	255	67	-	-	-	-	-	487	-	0.1
Total		-	-	-	-	13	165	396	247	18	-	-	-	-	839	-	0.2
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	91	-	-	-	-	-	-	91	-	-
S.L.M.	(47)	-	-	-	-	-	14	13	11	12	-	-	-	-	50	-	-
Total		-	-	-	-	-	14	104	11	12	-	-	-	-	141	-	-
Below Grade																	
		-	-	-	86	190	1,643	1,610	539	31	-	-	-	-	4,099	-	0.9
All grades																	
		-	-	12	197	896	11,688	174,493	226,407	29,770	499	13	-	-	443,975	1/	100.0
All grades																	
		-	-	-	-	0.2	2.6	39.3	51.1	6.7	0.1	-	-	-	100.0	-	-
1/ As reported by the Bureau of the Census, running bales.																	
Percentage rough preparation....																	
Grade Index.....																	
Average staple.....																	
Percentage rough preparation....																	
Grade Index.....																	
Average staple.....																	

Table 8. -- Grade and staple of upland cotton ginned in Mississippi, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:																
G.M.	(11)	-	-	-	-	-	-	-	13	-	-	-	-	-	-	13
S.M.	(21)	-	-	-	-	-	60	166	2,081	1,142	52	28	-	-	-	3,529
M.+	(31)	-	-	-	-	-	20	3,443	30,755	12,371	311	-	-	-	-	590
S.L.M.+	(41)	-	-	-	-	-	143	143	2,785	1,517	73	-	-	-	-	46,900
S.L.M.	(51)	-	-	-	-	-	147	16,148	481,946	354,348	11,196	445	-	-	-	864,230
L.M.+	(61)	-	-	-	-	-	321	11,019	257,516	227,835	11,604	484	-	-	-	32,725
L.M.	(71)	-	-	-	-	-	11	64	847	947	77	-	-	-	-	864,230
S.G.O.+	(81)	-	-	-	-	-	120	2,423	30,235	15,917	728	-	-	-	-	32,725
S.G.O.	(91)	-	-	-	-	-	16	533	3,605	999	-	-	-	-	-	32,725
G.O.+	(101)	-	-	-	-	-	13	17	13	-	-	-	-	-	-	1,959
G.O.	(111)	-	-	-	-	-	695	34,253	825,605	631,243	24,948	1,052	-	-	-	49,423
Total		-	-	-	-	-	13	13	13	13	13	13	40	-	-	5,153
																86.9
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	123	2,960	12,108	2,294	47	-	-	-	-	180
M.	(32)	-	-	-	-	-	149	9,381	83,656	42,919	1,742	52	-	-	-	17,532
S.L.M.	(42)	-	-	-	-	-	193	5,473	30,915	16,948	746	-	-	-	-	137,910
L.M.	(52)	-	-	-	-	-	465	17,867	126,806	62,161	2,535	52	-	-	-	54,297
Total		-	-	-	-	-	33	33	33	33	33	52	-	-	-	209,919
																12.0
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade		-	-	-	13	13	166	895	3,720	813	-	-	-	-	-	5,620
																0.3
All grades		-	-	-	13	59	1,452	55,675	965,227	697,154	27,565	1,104	40	-	-	1,748,289 1/2
																100.0
All grades		-	-	-	-	-	0.1	3.2	55.1	39.9	1.6	0.1	-	-	-	100.0
1/2		As reported by the Bureau of the Census, running bales.														
■		Less than 0.05 percent.														
		Percentage rough preparation....														
		Grade index.....														
		Average staple.....														
		89.9														
		34.4														

Table 8. -- Grade and staple of upland cotton ginned in Tennessee, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														26 and shorter Bales	All staples Bales	Percent
		28	29	30	31	32	33	34	35	36	37	38	39	40 and longer Bales				
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	182	768	60	-	-	-	-	-	-	-	1,010	0.2
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	152	8,308	26,097	1,974	22	-	-	-	-	-	-	36,553	8.6
S.L.M.+	(40)	-	-	-	-	-	634	2,538	267	-	-	-	-	-	-	-	3,439	0.8
S.L.M.	(41)	-	-	-	-	500	42,664	139,078	11,494	174	-	-	-	-	-	-	193,910	45.7
L.M.+	(50)	-	-	-	-	11	888	3,690	485	11	-	-	-	-	-	-	5,085	1.2
L.M.	(51)	-	-	9	203	12,785	35,355	3,163	55	-	-	-	-	-	-	-	51,570	12.2
S.G.O.+	(60)	-	-	-	24	174	397	46	-	-	-	-	-	-	-	-	641	0.2
S.G.O.	(61)	-	-	-	69	1,549	2,421	195	9	-	-	-	-	-	-	-	4,243	1.0
G.O.+	(70)	-	-	-	-	-	8	22	11	-	-	-	-	-	-	-	41	0.1
G.O.	(71)	-	-	-	-	-	173	180	17	-	-	-	-	-	-	-	370	0.1
Total		-	-	-	9	959	67,365	210,546	17,712	271	-	-	-	-	-	-	296,862	70.0
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	16	30	-	-	-	-	-	-	-	-	46	5.8
M.	(32)	-	-	-	-	740	10,736	12,246	927	19	-	-	-	-	-	-	24,668	17.3
S.L.M.	(42)	-	-	-	-	520	22,883	46,175	3,591	55	-	-	-	-	-	-	73,224	4.6
L.M.	(52)	-	-	-	8	282	7,195	11,218	593	11	-	-	-	-	-	-	19,307	27.7
Total		-	-	-	8	1,542	40,830	69,669	5,111	85	-	-	-	-	-	-	117,245	-
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	41	520	304	11	-	-	-	-	-	-	-	876	0.2
S.L.M.	(43)	-	-	-	-	90	2,293	2,525	98	-	-	-	-	-	-	-	5,006	1.2
L.M.	(53)	-	-	-	9	109	1,285	993	39	-	-	-	-	-	-	-	2,435	0.6
Total		-	-	-	9	240	4,098	3,822	148	-	-	-	-	-	-	-	8,317	2.0
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	36	9	-	-	-	-	-	-	-	-	45	0.1
L.M.	(54)	-	-	-	-	-	9	16	9	-	-	-	-	-	-	-	34	0.1
Total		-	-	-	-	-	45	25	9	-	-	-	-	-	-	-	79	0.1
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	16	0.1
M.	(36)	-	-	-	-	11	57	61	-	-	-	-	-	-	-	-	129	0.1
S.L.M.	(46)	-	-	-	-	-	95	8	-	-	-	-	-	-	-	-	103	0.1
Total		-	-	-	-	11	160	77	-	-	-	-	-	-	-	-	248	0.1
Below Grade																		
		-	-	-	11	145	562	358	24	-	-	-	-	-	-	-	1,100	0.3
All grades																		
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	37	2,897	113,060	284,497	23,004	356	-	-	-	-	-	-	423,851 1/2	100.0
1/2 As reported by the Bureau of the Census, running bales																		
Less than 0.05 percent.																		
Percentage rough preparation.....																		
Grade Index.....																		
Average staple.....																		
91.5																		
33.8																		

Table 8. -- Grade and staple of upland cotton ginned in Arkansas, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	12	171	25	-	-	-	-	-	208	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	11	2,177	34,543	11,026	95	13	-	-	-	47,865	4.7
S.L.M.	(41)	-	-	-	-	-	-	71	1,606	758	13	-	-	-	-	2,448	0.2
L.M.+	(50)	-	-	-	-	-	79	11,749	378,407	182,545	2,528	12	-	-	-	575,320	56.8
L.M.	(51)	-	-	-	-	-	16	287	11,821	6,472	100	-	-	-	-	18,696	1.8
S.G.O.+	(60)	-	-	-	-	-	108	5,334	159,632	56,022	530	12	-	-	-	221,638	21.9
S.G.O.	(61)	-	-	-	-	-	-	24	694	250	-	-	-	-	-	968	0.1
G.O.+	(70)	-	-	-	-	-	76	2,080	9,995	1,954	29	-	-	-	-	14,134	1.4
G.O.	(71)	-	-	-	-	13	75	323	575	75	8	-	-	-	-	18	*
Total		-	-	-	-	13	365	22,057	597,462	259,127	3,303	37	-	-	-	1,069	0.1
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	20	-	-	-	-	-	-	20	-
M.	(32)	-	-	-	-	-	58	1,592	10,011	2,273	-	-	-	-	-	13,934	1.4
S.L.M.	(42)	-	-	-	-	-	44	4,480	63,183	17,856	203	12	-	-	-	85,778	8.5
L.M.	(52)	-	-	-	-	-	84	2,492	17,489	3,235	36	-	-	-	-	23,336	2.3
Total		-	-	-	-	-	186	8,564	90,703	23,364	239	12	-	-	-	123,068	12.2
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	246	17	-	-	-	-	-	378	-
S.L.M.	(43)	-	-	-	-	-	7	349	2,274	203	-	-	-	-	-	2,833	0.3
L.M.	(53)	-	-	-	-	-	57	959	1,449	66	-	-	-	-	-	2,531	0.2
Total		-	-	-	-	-	64	1,423	3,969	286	-	-	-	-	-	5,742	0.5
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	33	8	-	-	-	-	-	41	*
S.L.M.	(44)	-	-	-	-	-	-	-	8	-	-	-	-	-	-	8	*
L.M.	(54)	-	-	-	-	-	-	34	9	-	-	-	-	-	-	43	*
Total		-	-	-	-	-	-	34	50	8	-	-	-	-	-	92	*
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	8	-	-	-	-	-	-	-	8	*
M.	(36)	-	-	-	-	-	-	21	322	29	-	-	-	-	-	372	*
S.L.M.	(46)	-	-	-	-	-	8	135	337	32	-	-	-	-	-	512	0.1
Total		-	-	-	-	-	8	164	659	61	-	-	-	-	-	892	0.1
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	14	38	8	-	-	-	-	-	60	*
Total		-	-	-	-	-	-	14	38	8	-	-	-	-	-	60	*
Below Grade																	
-	-	-	-	-	-	25	122	670	816	152	-	-	-	-	-	1,785	0.2
All grades																	
-	-	-	-	-	-	38	745	32,926	693,697	283,006	3,542	49	-	-	-	1,014,003	1/ 100.0
Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades	-	-	-	-	-	-	0.1	3.2	68.5	27.9	0.3	*	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, running bales.																	
* Less than 0.05 percent.																	
Percentage rough preparation....																	
Grade index.....																	
Average staple.....																	
91.1																	
34.3																	

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)												All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(81)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(91)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																	
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
As reported by the Bureau of the Census, running bales.																	
Less than 0.05 percent.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Percentage rough preparation....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grade Index.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Average staple.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)															All staples
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer		
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(31)	-	7	194	4,096	8,228	7,858	2,041	1,656	319	-	-	-	-	-	27,166	6.6
S.L.M.	(40)	-	30	42	118	241	312	143	41	26	-	-	-	-	-	953	0.2
L.M.+	(41)	-	52	410	7,935	27,992	49,857	15,691	6,668	4,235	2,103	135	-	-	-	115,078	28.0
L.M.	(50)	-	-	-	-	55	360	302	224	31	15	-	-	-	-	987	0.2
S.G.O.+	(51)	-	-	63	1,355	5,049	10,588	6,796	2,552	820	292	-	-	-	-	27,515	6.7
S.G.O.	(60)	-	-	-	-	15	108	15	15	16	-	-	-	-	-	169	0.5
G.O.+	(61)	-	-	4	158	390	633	460	147	114	15	-	-	-	-	1,921	0.5
G.O.	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	21	45	57	72	26	-	-	-	-	-	-	221	0.1
Total		-	59	701	13,607	41,892	69,702	26,415	11,816	6,913	2,770	135	-	-	-	174,010	42.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	29	-	-	14	-	-	-	-	-	-	-	43	-
M.	(32)	-	89	1,534	18,776	31,011	23,600	3,729	981	333	44	-	-	-	-	80,097	19.5
S.L.M.	(42)	-	182	1,463	18,083	39,490	44,419	10,170	1,906	658	145	-	-	-	-	116,516	28.4
L.M.	(52)	-	60	240	3,105	6,880	8,597	3,832	805	108	15	-	-	-	-	23,642	5.8
Total		-	331	3,237	39,993	77,381	76,616	17,745	3,692	1,099	204	-	-	-	-	220,298	53.7
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	15	-	7	7	-	-	-	-	-	-	-	-	29	-
M.	(33)	15	30	114	954	1,234	1,344	430	68	36	-	-	-	-	-	4,225	1.0
S.L.M.	(43)	71	351	484	1,533	2,563	2,385	633	74	17	-	-	-	-	-	8,111	2.0
L.M.	(53)	48	142	329	456	860	979	419	77	-	-	-	-	-	-	3,310	0.8
Total		134	523	942	2,943	4,664	4,715	1,482	219	53	-	-	-	-	-	15,675	3.8
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	11	-	-	4	33	21	25	-	-	-	-	-	-	-	94	-
S.L.M.	(44)	-	-	19	19	36	26	11	-	-	-	-	-	-	-	111	-
L.M.	(54)	-	-	30	38	8	14	25	-	7	-	-	-	-	-	122	-
Total		11	-	49	61	77	61	61	-	7	-	-	-	-	-	329	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	15	-	-	-	-	-	-	15	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	4	-	-	-	-	-	-	-	-	4	-
Total		-	-	-	-	-	4	-	15	-	-	-	-	-	-	19	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	15	-	-	-	-	-	-	-	-	-	-	15	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	15	-	-	-	-	-	-	-	-	-	-	15	-
Below Grade																	
	15	22	50	207	139	138	138	77	16	-	-	-	-	-	-	664	0.2
All grades																	
	160	935	4,979	56,826	124,153	151,236	45,780	15,758	15,758	8,072	2,974	135	-	-	-	411,008 1/	100.0
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		0.2	1.2	13.8	30.3	36.9	11.1	3.8	2.0	0.7	-	-	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, running bales.																	
• Less than 0.05 percent.																	
• Percentage rough preparation....																	
• Grade index..... 91.6																	
• Average staple 31.7																	

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation....

Grade index.....

Average staple.....

91.6

31.7

Table 8. -- Grade and staple of upland cotton ginned in Texas, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)												40 and longer		All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales	Percent	
White:																	
G. M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(21)	-	463	1,452	3,327	2,452	414	207	718	367	1,090	186	-	-	-	45	0.2
M. +	(30)	-	-	9	179	69	32	-	14	54	16	26	23	-	-	-	-
M.	(31)	559	8,767	65,862	256,415	253,911	131,343	32,969	34,703	9,671	12,676	2,809	160	9	-	909,854	18.2
S. L. M. +	(40)	13	105	1,190	3,639	3,834	2,688	1,498	3,465	881	791	361	47	-	-	18,512	0.4
S. L. M.	(41)	283	7,615	67,460	336,262	482,078	385,940	139,576	106,869	34,664	16,741	3,221	270	29	67	1,581,075	35.6
L. M. +	(50)	-	112	733	2,247	2,900	3,790	3,014	2,861	1,138	465	43	14	-	-	17,317	0.4
L. M.	(51)	-	446	5,594	44,892	74,510	67,880	35,112	40,084	16,585	4,472	498	36	-	9	290,118	6.5
S. G. O. +	(60)	-	-	9	95	91	221	131	166	83	14	-	-	-	-	810	1.2
S. G. O.	(61)	-	38	637	13,122	15,643	12,570	5,240	5,016	1,678	454	55	9	-	-	54,462	1.2
G. O. +	(70)	-	-	-	15	-	20	25	13	-	-	-	-	-	-	73	0.1
G. O.	(71)	-	-	164	1,597	1,644	1,353	736	640	81	9	-	-	-	-	6,224	0.1
Total		855	17,546	143,110	661,790	837,132	606,251	218,508	194,549	65,202	36,773	7,199	559	38	76	2,789,588	62.6
Light Spotted:																	
G. M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(22)	-	95	285	999	438	130	43	-	-	-	-	-	-	-	2,000	-
M.	(32)	310	5,670	46,384	210,196	258,217	124,003	19,620	10,443	3,212	1,675	1,161	-	-	-	680,891	15.2
S. L. M.	(42)	114	2,537	22,606	144,756	195,448	123,226	43,545	55,186	11,497	1,008	267	22	-	-	600,212	13.4
L. M.	(52)	-	472	6,660	76,209	75,745	38,164	15,804	21,704	4,894	423	50	-	-	-	240,125	5.4
Total		424	8,774	75,935	432,160	529,848	285,523	79,012	87,333	19,613	3,106	1,478	22	-	-	1,523,228	34.0
Spotted:																	
G. M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(23)	-	14	54	47	17	8	9	14	-	-	-	-	-	-	163	-
M.	(33)	38	674	3,633	12,403	8,783	3,044	1,002	688	115	27	11	-	-	-	30,418	0.7
S. L. M.	(43)	178	724	4,428	12,760	9,683	5,349	5,433	9,760	1,154	120	25	-	-	-	49,614	1.1
L. M.	(53)	29	394	3,182	9,106	7,088	5,232	6,729	8,114	1,232	25	-	-	-	-	41,131	0.9
Total		245	1,806	11,297	34,316	25,571	13,633	13,173	18,576	2,501	172	36	-	-	-	121,326	2.7
Tinged:																	
G. M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	63	135	278	90	43	16	11	25	-	-	-	-	-	661	-
S. L. M.	(44)	26	116	342	323	77	143	231	111	10	-	-	-	-	-	1,379	-
L. M.	(54)	19	71	151	167	131	256	376	186	-	-	-	-	-	-	1,357	-
Total		45	250	628	768	298	442	623	308	35	-	-	-	-	-	3,397	-
Stained:																	
G. M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	6	-	-	-	-	-	9	-	-	-	-	15	-
Total		-	-	-	6	-	-	-	-	-	9	-	-	-	-	15	-
Light Gray:																	
G. M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(26)	-	-	9	21	27	-	-	-	-	-	-	-	-	-	57	-
M.	(36)	-	-	50	308	301	124	163	615	99	21	-	-	-	-	1,681	-
S. L. M.	(46)	-	-	18	338	205	88	64	148	-	-	-	-	-	-	861	-
Total		-	-	77	667	533	212	227	763	99	21	-	-	-	-	2,599	-
Gray:																	
G. M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	7	31	9	24	30	-	-	-	-	-	-	-	101	-
S. L. M.	(47)	-	-	8	63	14	5	10	29	-	-	-	-	-	-	129	-
Total		-	-	15	94	23	29	40	29	-	-	-	-	-	-	230	-
Below Grade		678	934	2,320	8,158	6,893	4,391	2,829	2,818	326	7	-	-	-	-	29,354	0.7
All grades		2,247	29,310	233,362	1,137,959	1,400,298	910,481	314,412	304,376	87,776	40,088	8,713	581	38	76	4,469,737	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1/ As reported by the Bureau of the Census, running bales.																	
Less than 0.05 percent.																	
Percentage rough preparation																	
Grade index.....																	
Average staple.....																	

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)													26 and shorter Bales	40 and longer Bales	All staples	Percent
		28	29	30	31	32	33	34	35	36	37	38	39					
White:	G.M.	-	-	-	-	20	173	4,638	9,115	-	45	-	-	-	-	-	14,142	2.3
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.+	-	-	-	5	245	2,582	81,625	241,292	8,398	1,332	-	-	-	-	79	335,558	55.4
	S.L.M.	-	-	-	-	25	70	3,147	9,893	893	118	-	-	-	-	-	14,146	2.3
	L.M.+	-	-	10	62	603	2,836	31,470	61,886	2,599	289	10	24	-	-	-	99,809	16.5
	L.M.	-	-	-	8	70	264	1,097	1,792	139	10	-	-	-	-	-	3,380	0.6
	S.G.O.+	-	-	39	94	1,083	2,380	5,803	3,678	28	10	-	-	-	-	-	13,115	2.3
	S.G.O.	-	-	5	10	67	68	109	57	-	-	-	-	-	-	-	316	0.1
	G.O.+	-	14	5	116	475	2,046	2,245	1,869	230	10	-	-	-	-	-	7,010	1.2
G.O.	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	20	-	
G.O.	(71)	-	-	9	62	214	562	434	173	10	-	-	-	-	-	1,464	0.2	
Total		14	14	232	898	4,721	11,062	129,943	327,953	12,218	1,804	10	24	79	-	488,972	80.8	
Light Spotted:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	16	433	832	34	-	-	-	-	-	-	1,315	0.2
	M.	-	-	-	-	406	1,229	19,770	48,579	1,565	376	12	-	-	-	-	71,937	11.9
	S.L.M.	-	5	30	78	930	1,955	6,579	9,928	190	56	5	-	-	-	-	19,756	3.3
	L.M.	-	9	24	385	847	3,998	3,269	2,466	627	-	44	-	-	-	-	11,674	1.9
	Total		9	29	415	925	5,334	6,469	29,248	59,966	1,789	476	22	-	-	-	104,682	17.3
Spotted:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	11	-
	M.	-	-	13	5	90	82	189	241	8	-	-	-	-	-	-	628	0.1
	S.L.M.	-	5	-	10	95	59	278	157	-	-	-	-	-	-	-	604	0.1
	L.M.	5	49	182	318	426	346	165	15	-	-	-	-	-	-	-	1,525	0.3
	Total		5	49	24	195	611	487	643	413	8	-	-	-	-	-	2,768	0.5
Tinged:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	18	-
	S.L.M.	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	14	-
	L.M.	-	-	-	-	5	4	-	-	-	-	-	-	-	-	-	9	-
	Total		14	-	-	18	5	4	-	-	-	-	-	-	-	-	41	-
Light Gray:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	10	39	-	-	-	-	-	-	-	49	-
	M.	-	-	5	-	43	38	139	36	-	-	-	-	-	-	-	261	-
	S.L.M.	-	-	-	-	49	35	-	-	-	-	-	-	-	-	-	84	-
	Total		-	-	5	-	92	73	149	75	-	-	-	-	-	-	394	-
	Gray:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.		-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	10	-
S.L.M.		-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	7	-
Total			-	-	-	-	7	10	-	-	-	-	-	-	-	-	17	-
Below Grade			19	123	183	1,440	1,797	3,698	734	332	46	-	-	-	-	-	8,372	1.4
All grades		24	209	250	2,287	3,971	14,468	18,899	160,315	388,453	14,015	2,280	32	24	79	605,246 1/	100.0	
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
1/ As reported by the Bureau of the Census, running bales.																		
■ Less than 0.05 percent.																		
Percentage rough preparation....																		
Grade index.....																		
Average staple.....																		
96.5																		
34.6																		

Table 8. --- Grade and staple of upland cotton ginned in California, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)												All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(11)	-	-	-	-	-	-	-	12	9	-	-	-	-	21	1.4
S.M.	(21)	-	-	-	-	-	-	54	2,556	16,306	5,239	-	-	-	24,155	65
M.	(31)	-	-	-	-	-	-	-	-	30	35	-	-	-	65	810,328
S.L.M.+	(41)	-	-	-	-	-	-	337	26,188	576,781	206,993	29	-	-	137,776	46.2
S.L.M.	(51)	-	-	-	-	-	-	-	867	81,113	55,782	14	-	-	580,843	33.1
L.M.+	(61)	-	-	-	7	26	105	815	13,513	358,095	207,944	338	-	-	21,147	7.9
L.M.	(71)	-	-	-	-	-	-	-	215	9,340	11,472	120	-	-	92,988	5.3
S.G.O.+	(81)	-	-	-	13	7	239	1,016	5,980	56,120	29,553	60	-	-	1,545	0.1
S.G.O.	(91)	-	-	-	-	-	-	-	70	847	623	5	-	-	15,974	0.9
G.O.+	(101)	-	-	-	7	13	331	567	2,696	9,867	2,480	13	-	-	62	0.2
G.O.	(111)	-	-	-	7	13	312	342	865	1,925	213	-	-	-	3,677	96.3
Total		-	-	-	34	59	987	3,131	52,967	1,110,468	520,356	579	-	-	1,688,581	
Light Spotted:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	67	157	20	-	-	-	244	1.0
M.	(32)	-	-	-	-	-	-	287	4,928	10,801	1,586	-	-	-	17,624	1.3
S.L.M.	(42)	-	-	-	-	24	92	451	2,942	14,637	5,433	28	-	-	23,607	0.6
L.M.	(52)	-	-	-	37	145	737	767	2,078	5,645	1,337	-	-	-	10,746	2.9
Total		-	-	-	37	169	881	1,505	10,015	31,240	8,376	28	-	-	52,221	
Spotted:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	102	-	-	-	-	102	0.1
M.	(33)	-	-	-	-	-	-	21	11	277	60	-	-	-	369	0.1
S.L.M.	(43)	-	-	-	-	39	190	104	139	840	147	-	-	-	1,280	0.1
L.M.	(53)	-	-	-	-	86	190	23	415	778	147	-	-	-	1,671	0.2
Total		-	-	-	13	86	229	148	565	1,997	354	-	-	-	3,422	
Tinged:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	9	-	-	-	-	9	0.1
S.L.M.	(44)	-	-	-	-	-	-	-	22	15	9	-	-	-	46	0.1
L.M.	(54)	-	-	-	13	-	-	-	26	26	9	-	-	-	74	0.2
Total		-	-	-	13	-	-	-	48	50	18	-	-	-	129	
Stained:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	47	-	-	-	-	47	0.1
Total		-	-	-	-	-	-	-	-	47	-	-	-	-	47	
Light Gray:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(16)	-	-	-	-	-	-	-	-	11	-	-	-	-	11	0.1
S.M.	(26)	-	-	-	-	-	-	-	113	356	114	-	-	-	583	0.2
M.	(36)	-	-	-	-	-	13	50	291	2,061	471	-	-	-	2,886	0.1
S.L.M.	(46)	-	-	-	-	-	20	59	320	1,122	249	-	-	-	1,770	0.3
Total		-	-	-	-	-	33	109	724	3,550	834	-	-	-	5,250	
Gray:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	5	-	-	-	-	-	5	0.1
M.	(37)	-	-	-	-	-	-	-	6	37	-	-	-	-	43	0.1
S.L.M.	(47)	-	-	-	-	-	-	15	60	244	52	-	-	-	371	0.1
Total		-	-	-	-	-	-	15	71	281	52	-	-	-	419	
Below Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
All grades		-	-	-	218	218	1,035	510	1,093	1,262	158	-	-	-	4,494	0.3
All grades		-	-	-	11	32	302	532	3,135	5,418	65,483	1,148,895	530,148	607	-	1,754,563 1/ 100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1/ As reported by the Bureau of the Census, running bales.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2/ Less than 0.05 percent.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Percentage rough preparation....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	96.1
Grade index.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	35.3
Average staple.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	35.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74

NORTH CAROLINA								SOUTH CAROLINA							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(21)	-	81	10	-	-	91			40	221	50	10	-	321
M.+	(30)	28	69	-	-	-	97			-	-	-	-	-	-
M.	(31)	83	2,104	556	100	33	2,876			524	6,228	3,135	273	-	10,160
S.L.M.+	(40)	55	208	-	-	-	263			121	1,874	347	-	13	2,355
S.L.M.	(41)	4,524	39,278	20,504	912	61	65,279			7,220	52,122	26,866	4,015	177	90,400
L.M.+	(50)	1,241	11,432	6,051	194	24	18,942			1,855	9,725	5,106	647	117	17,450
L.M.	(51)	2,621	26,135	24,104	2,576	626	56,062			8,067	49,716	25,652	5,380	1,094	89,909
S.G.O.+	(60)	-	774	1,103	94	26	1,997			363	1,697	1,115	374	73	3,622
S.G.O.	(61)	303	2,451	4,528	1,547	729	9,558			807	4,855	3,594	1,295	1,177	11,728
G.O.+	(70)	-	12	-	-	-	12			-	15	-	-	-	15
G.O.	(71)	-	150	351	278	435	1,214			40	384	582	152	374	1,532
Total		8,855	82,694	57,207	5,701	1,934	156,391			19,037	126,837	66,447	12,146	3,025	227,492
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-			-	118	99	40	-	257
M.	(32)	-	81	127	26	26	260			40	1,461	1,029	253	60	2,843
S.L.M.	(42)	303	2,578	908	189	17	3,995			1,049	15,820	6,407	2,063	356	25,695
L.M.	(52)	55	1,410	956	252	231	2,904			766	12,927	5,787	1,780	1,458	22,718
Total		358	4,069	1,991	467	274	7,159			1,855	30,326	13,322	4,136	1,874	51,513
Spotted:															
G.M.	(13)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-			-	-	-	20	-	20
M.	(33)	-	-	10	-	24	34			-	30	25	71	-	126
S.L.M.	(43)	-	139	78	5	-	222			40	885	297	212	120	1,554
L.M.	(53)	-	104	137	16	24	281			40	1,550	545	152	557	2,844
Total		-	243	225	21	48	537			80	2,465	867	455	677	4,544
Tinged:															
All grades		-	-	-	10	9	19			-	30	-	-	48	78
Light Gray:															
All grades		-	-	20	-	-	20			-	119	74	112	132	437
Gray:															
All grades		-	-	-	-	24	24			-	-	-	-	86	86
Below Grade															
		28	289	156	94	155	722			40	649	397	101	1,325	2,512
All grades															
		9,241	87,295	59,599	6,293	2,444	164,872 1/			21,012	160,426	81,107	16,950	7,167	286,662 1/
Grade index															
		90.1	89.8	87.8	83.3	78.0	88.7			88.5	88.5	88.3	86.7	76.7	88.1
Staple Code															
26 and shorter		-	-	-	-	-	-			-	-	-	-	-	-
28		-	-	-	-	-	-			-	-	-	-	-	-
29		-	-	-	-	-	-			-	-	-	-	-	-
30		-	-	-	-	-	-			-	-	-	-	-	-
31		-	-	-	-	-	-			-	-	12	-	-	12
32		-	36	-	-	-	36			-	30	25	10	99	164
33		-	-	39	10	-	49			40	1,184	421	10	268	1,923
34		1,408	17,683	11,447	765	829	32,132			120	49,450	30,534	10,187	5,434	95,725
35		6,152	67,227	47,790	5,471	1,606	128,246			4,758	92,038	48,851	6,713	1,328	153,688
36		1,599	2,301	323	47	9	4,279			12,586	17,089	1,252	30	38	30,995
37		82	48	-	-	-	130			3,346	635	12	-	-	3,993
38		-	-	-	-	-	-			162	-	-	-	-	162
39		-	-	-	-	-	-			-	-	-	-	-	-
40 and longer		-	-	-	-	-	-			-	-	-	-	-	-
All staples															
		9,241	87,295	59,599	6,293	2,444	164,872 1/			21,012	160,426	81,107	16,950	7,167	286,662 1/
Average staple															
		35.0	34.8	34.8	34.9	34.7	34.8			35.9	34.8	34.6	34.4	34.1	34.8

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

GEORGIA

FLORIDA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(21)	26	138	99	10	10	283			-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-			-	-	-	-	-	-
M.	(31)	893	6,358	1,284	19	23	8,577			-	70	27	-	-	97
S.L.M.+	(40)	290	848	442	-	-	1,580			-	-	9	-	-	9
S.L.M.	(41)	7,033	79,415	30,219	1,880	594	119,141			13	1,892	1,822	797	7	4,531
L.M.+	(50)	1,850	7,137	2,673	411	118	12,189			-	183	285	40	-	508
L.M.	(51)	3,355	59,643	38,824	9,605	1,078	112,505			12	1,031	1,538	2,181	219	4,981
S.G.O.+	(60)	39	1,996	1,408	258	122	3,823			-	-	9	10	-	19
S.G.O.	(61)	98	3,403	5,315	3,711	1,360	13,887			-	28	18	192	127	365
G.O.+	(70)	-	12	21	-	10	43			-	-	-	10	5	15
G.O.	(71)	13	66	415	526	346	1,366			-	-	-	-	-	-
Total		13,597	159,016	80,700	16,420	3,661	273,394			25	3,204	3,708	3,230	358	10,525
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(22)	-	96	58	-	-	154			-	-	-	-	-	-
M.	(32)	253	3,355	2,152	153	27	5,940			-	14	18	-	-	32
S.L.M.	(42)	1,174	28,405	21,136	2,443	469	53,627			5	319	391	40	15	770
L.M.	(52)	516	11,768	12,450	5,714	1,176	31,624			-	141	160	81	81	463
Total		1,943	43,624	35,796	8,310	1,672	91,345			5	474	569	121	96	1,265
Spotted:															
G.M.	(13)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(23)	-	10	50	-	-	60			-	-	-	-	-	-
M.	(33)	13	193	108	17	10	341			-	-	-	-	-	-
S.L.M.	(43)	13	1,708	1,063	539	213	3,536			-	-	44	10	-	54
L.M.	(53)	26	1,226	1,130	780	490	3,652			-	56	9	-	22	87
Total		52	3,137	2,351	1,336	713	7,589			-	56	53	10	22	141
Tinged:															
All grades		-	-	75	55	6	136			-	-	-	-	-	-
Light Gray:															
All grades		-	10	75	10	101	196			-	-	18	-	5	23
Gray:															
All grades		-	-	10	17	-	27			-	-	-	-	-	-
Below Grade															
		13	568	1,102	1,088	1,123	3,894			-	-	-	20	35	55
All grades		15,605	206,355	120,109	27,236	7,276	376,581 1/			30	3,734	4,348	3,381	516	12,009 1/
Grade index		91.0	89.3	87.2	82.2	78.3	88.0			90.0	90.1	89.4	84.3	80.0	88.3
Staple Code															
26 and shorter		-	-	-	-	-	-			-	-	-	-	-	-
28		-	-	-	-	-	-			-	-	-	-	-	-
29		-	-	-	-	-	-			-	-	-	-	-	-
30		-	-	10	10	6	26			-	-	-	-	-	-
31		13	-	9	-	6	28			-	-	-	-	-	-
32		38	463	611	235	187	1,534			-	-	-	-	15	15
33		438	19,792	15,037	5,862	2,535	43,664			-	323	293	211	213	1,040
34		10,535	136,540	91,958	20,608	4,387	264,028			30	3,271	3,904	2,938	288	10,431
35		4,562	49,206	12,414	521	155	66,858			-	140	151	232	-	523
36		19	354	70	-	-	443			-	-	-	-	-	-
37		-	-	-	-	-	-			-	-	-	-	-	-
38		-	-	-	-	-	-			-	-	-	-	-	-
39		-	-	-	-	-	-			-	-	-	-	-	-
40 and longer		-	-	-	-	-	-			-	-	-	-	-	-
All staples		15,605	206,355	120,109	27,236	7,276	376,581 1/			30	3,734	4,348	3,381	516	12,009 1/
Average staple		34.3	34.1	34.0	33.8	33.6	34.1			34.0	34.0	34.0	34.0	33.5	34.0

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

ALABAMA							MISSISSIPPI							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1		October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:														
G.M.	(11)	-	-	-	-	-	-	-	13	-	-	-	-	13
S.M.	(21)	41	379	82	19	-	521	1,016	2,135	337	41	-	-	3,529
M.+	(30)	-	26	-	-	-	26	80	510	-	-	-	-	590
M.	(31)	366	10,619	4,011	303	26	15,325	4,079	35,312	6,769	644	96	-	46,900
S.L.M.+	(40)	-	981	235	26	-	1,242	581	3,228	683	22	4	-	4,518
S.L.M.	(41)	1,080	106,478	75,871	11,202	1,125	195,756	17,406	588,340	234,676	22,919	889	-	864,230
L.M.+	(50)	61	6,260	5,974	592	170	13,057	352	23,161	8,421	784	7	-	32,725
L.M.	(51)	1,017	36,862	54,956	16,890	2,359	112,084	3,819	251,942	186,951	62,319	3,748	-	508,779
S.G.O.+	(60)	-	124	151	61	14	350	-	1,212	612	135	-	-	1,959
S.G.O.	(61)	203	1,489	3,903	2,730	836	9,161	140	14,836	16,926	15,069	2,452	-	49,423
G.O.+	(70)	-	11	-	-	-	11	-	13	-	17	-	-	30
G.O.	(71)	-	113	245	213	79	650	-	1,163	1,379	1,686	925	-	5,153
Total		2,768	163,342	145,428	32,036	4,609	348,183	27,473	921,865	456,754	103,636	8,121	-	1,517,849
Light Spotted:														
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	219	75	18	-	312	-	102	69	9	-	-	180
M.	(32)	82	3,589	2,444	1,067	67	7,249	324	12,828	3,558	788	34	-	17,532
S.L.M.	(42)	102	18,139	16,744	10,634	972	46,591	837	88,248	38,546	9,695	584	-	137,910
L.M.	(52)	385	6,307	7,885	4,732	876	20,185	295	27,378	17,381	8,502	741	-	54,297
Total		569	28,254	27,148	16,451	1,915	74,337	1,456	128,556	59,554	18,994	1,359	-	209,919
Spotted:														
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	13	28	36	-	77	-	-	-	-	2	-	2
M.	(33)	-	201	257	948	23	1,429	-	658	231	119	-	-	1,008
S.L.M.	(43)	60	1,173	1,332	5,451	525	8,541	-	2,951	2,251	1,663	154	-	7,019
L.M.	(53)	120	623	1,052	2,218	1,049	5,062	116	1,746	1,678	1,594	308	-	5,442
Total		180	2,010	2,669	8,653	1,597	15,109	116	5,355	4,160	3,376	464	-	13,471
Tinged:														
All grades		-	11	44	1,005	207	1,267	-	26	119	73	25	-	243
Light Gray:														
All grades		-	109	221	254	255	839	-	408	479	131	141	-	1,159
Gray:														
All grades		-	24	46	-	71	141	-	13	-	-	15	-	28
Below Grade		-	333	531	609	2,626	4,099	-	1,233	1,255	2,270	862	-	5,620
All grades		3,517	194,083	176,087	59,008	11,280	443,975 1/2	29,045	1,057,456	522,321	128,480	10,987	-	1,748,289 1/2
Grade index		88.6	91.3	89.4	86.1	78.2	89.5	93.6	90.9	89.1	84.9	80.2	-	89.9
Staple Code														
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	12	-	-	12	-	-	-	-	-	-	-
30		-	-	79	18	100	197	-	13	-	-	-	-	13
31		-	65	516	111	204	896	-	59	-	-	-	-	59
32		60	1,823	5,821	2,007	1,977	11,688	60	1,085	186	67	54	-	1,452
33		464	60,694	79,528	29,063	4,744	174,493	1,995	35,301	12,569	4,988	822	-	55,675
34		2,506	113,123	81,249	25,358	4,171	226,407	13,258	620,206	242,118	80,923	8,722	-	965,227
35		467	17,939	8,838	2,442	84	29,770	12,525	386,353	255,229	41,660	1,387	-	697,154
36		20	426	44	9	-	499	1,019	13,721	11,981	842	2	-	27,565
37		-	13	-	-	-	13	148	718	238	-	-	-	1,104
38		-	-	-	-	-	-	40	-	-	-	-	-	40
39		-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		3,517	194,083	176,087	59,008	11,280	443,975 1/2	29,045	1,057,456	522,321	128,480	10,987	-	1,748,289 1/2
Average staple		34.0	33.8	33.5	33.5	33.1	33.6	34.4	34.4	34.5	34.3	34.0	-	34.4

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

TENNESSEE

MISSOURI

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1		October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:														
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	55	795	151	9	-	1,010	-	34	8	-	-	-	42
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	2,387	27,052	6,873	213	28	36,553	-	12,826	3,029	19	-	-	15,874
S.L.M.+	(40)	-	2,905	491	43	-	3,439	-	235	8	-	-	-	243
S.L.M.	(41)	2,274	133,273	53,855	4,394	114	193,910	687	71,566	29,204	485	13	-	101,955
L.M.+	(50)	-	3,071	1,776	238	-	5,085	-	3,621	1,654	48	-	-	5,323
L.M.	(51)	277	26,963	18,890	4,650	790	51,570	-	4,238	6,897	1,217	75	-	12,427
S.G.O.+	(60)	-	210	380	51	-	641	-	34	80	29	-	-	143
S.G.O.	(61)	-	1,237	1,514	1,243	249	4,243	-	146	280	342	41	-	809
G.O.+	(70)	-	33	8	-	-	41	-	-	-	-	-	-	-
G.O.	(71)	-	110	198	51	11	370	-	11	-	-	23	-	34
Total		4,993	195,649	84,136	10,892	1,192	296,862	687	92,711	41,160	2,140	152	-	136,850
Light Spotted:														
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	22	24	-	-	46	-	-	-	-	-	-	-
M.	(32)	166	17,806	6,183	502	11	24,668	-	5,651	1,503	19	-	-	7,173
S.L.M.	(42)	388	46,924	18,057	7,332	523	73,224	111	15,562	6,618	960	64	-	23,315
L.M.	(52)	-	8,240	4,740	5,493	834	19,307	-	1,088	735	3,297	452	-	5,572
Total		554	72,992	29,004	13,327	1,368	117,245	111	22,301	8,856	4,276	516	-	36,060
Spotted:														
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	585	206	85	-	876	-	67	64	10	12	-	153
S.L.M.	(43)	-	2,540	674	1,354	438	5,006	-	594	112	333	13	-	1,052
L.M.	(53)	-	696	293	1,005	441	2,435	-	123	72	1,293	273	-	1,761
Total		-	3,821	1,173	2,444	879	8,317	-	784	248	1,636	298	-	2,966
Tinged:														
All grades		-	-	8	60	11	79	-	-	-	10	-	-	10
Light Gray:														
All grades		-	77	87	-	84	248	-	-	16	-	12	-	28
Gray:														
All grades		-	-	-	-	-	-	-	11	-	-	12	-	23
Below Grade														
		-	287	166	426	221	1,100	-	123	80	637	538	-	1,378
All grades		5,547	272,826	114,574	27,149	3,755	423,851 ^{1/}	798	115,930	50,360	8,699	1,528	-	177,315 ^{1/}
Grade index		96.0	92.3	91.1	85.6	81.3	91.5	93.3	93.4	92.0	80.4	72.7	-	92.2
Staple Code														
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-	-
31		-	11	8	18	-	37	-	11	-	-	-	-	11
32		111	1,093	1,063	410	220	2,897	-	33	80	96	146	-	355
33		2,829	59,084	39,221	9,795	2,131	113,060	44	2,769	4,260	2,064	898	-	10,035
34		2,607	193,939	70,538	16,098	1,315	284,497	443	93,418	38,771	6,243	478	-	139,353
35		-	18,368	3,728	819	89	23,004	289	19,520	7,185	286	6	-	27,286
36		-	331	16	9	-	356	22	179	64	10	-	-	275
37		-	-	-	-	-	-	-	-	-	-	-	-	-
38		-	-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		5,547	272,826	114,574	27,149	3,755	423,851 ^{1/}	798	115,930	50,360	8,699	1,528	-	177,315 ^{1/}
Average staple		33.4	33.8	33.7	33.6	33.3	33.8	34.4	34.1	34.1	33.8	33.2	-	34.1

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

ARKANSAS

LOUISIANA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1		October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:														
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	177	31	-	-	208	23	233	25	-	-	-	281
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	627	37,002	10,052	164	20	47,865	520	13,768	2,731	197	17	-	17,233
S.L.M.+	(40)	22	1,989	437	-	-	2,448	23	453	126	-	-	-	602
S.L.M.	(41)	8,596	371,254	178,329	16,208	933	575,320	1,709	119,123	88,272	22,682	395	-	232,181
L.M.+	(50)	158	13,270	5,033	225	10	18,696	-	1,820	1,450	99	4	-	3,373
L.M.	(51)	661	98,481	80,086	38,285	4,125	221,638	101	29,912	44,852	23,566	1,214	-	99,645
S.G.O.+	(60)	-	438	425	86	19	968	-	11	104	90	-	-	205
S.G.O.	(61)	71	2,598	4,284	3,910	3,271	14,134	62	1,524	2,509	2,608	455	-	7,158
G.O.+	(70)	-	-	8	-	10	18	-	-	9	-	-	-	9
G.O.	(71)	71	51	237	340	370	1,069	-	183	236	250	354	-	1,023
Total		10,206	525,260	278,922	59,218	8,758	882,364	2,438	167,027	140,314	49,492	2,439	-	361,710
Light Spotted:														
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	12	8	-	-	20	-	12	25	-	-	-	37
M.	(32)	-	9,865	3,795	274	-	13,934	429	13,361	3,566	194	11	-	17,561
S.L.M.	(42)	994	49,911	25,363	8,877	633	85,778	1,004	48,138	34,377	8,324	537	-	92,380
L.M.	(52)	93	7,359	6,630	7,021	2,233	23,336	222	5,629	9,044	4,946	837	-	20,678
Total		1,087	67,147	35,796	16,172	2,866	123,068	1,655	67,140	47,012	13,464	1,385	-	130,656
Spotted:														
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	12	-	-	10	-	22
M.	(33)	-	73	288	17	-	378	-	844	339	71	17	-	1,271
S.L.M.	(43)	-	1,239	951	526	117	2,833	23	1,628	3,074	1,093	265	-	6,083
L.M.	(53)	71	413	465	710	872	2,531	39	417	1,486	1,105	230	-	3,277
Total		71	1,725	1,704	1,253	989	5,742	62	2,901	4,899	2,269	522	-	10,653
Tinged:														
All grades		-	25	16	25	26	92	-	11	100	40	12	-	163
Light Gray:														
All grades		-	173	115	194	410	892	39	473	1,005	1,069	98	-	2,684
Gray:														
All grades		-	-	8	10	42	60	-	11	73	25	16	-	125
Below Grade														
		-	267	321	454	743	1,785	45	208	516	481	311	-	1,561
All grades														
		11,364	594,597	316,882	77,326	13,834	1,014,003 ^{1/}	4,239	237,771	193,919	66,840	4,783	-	507,552 ^{1/}
Grade index														
		92.8	92.1	90.8	86.2	80.4	91.1	92.0	91.7	89.8	87.6	81.2	-	90.3
Staple Code														
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-	-
31		-	38	-	-	-	38	-	-	-	-	-	-	-
32		71	222	92	166	194	745	-	96	380	16	30	-	522
33		722	17,583	7,990	2,357	4,274	32,926	529	8,806	8,015	2,618	672	-	20,640
34		7,774	396,410	220,273	60,544	8,696	693,697	2,669	157,556	143,459	57,559	3,690	-	364,933
35		2,667	177,640	87,805	14,230	664	283,006	814	69,311	41,747	6,639	391	-	118,902
36		130	2,655	722	29	6	3,542	227	1,990	310	8	-	-	2,535
37		-	49	-	-	-	49	-	12	8	-	-	-	20
38		-	-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-
All staples														
		11,364	594,597	316,882	77,326	13,834	1,014,003 ^{1/}	4,239	237,771	193,919	66,840	4,783	-	507,552 ^{1/}
Average staple														
		34.2	34.3	34.3	34.2	33.7	34.3	34.2	34.3	34.2	34.1	33.9	-	34.2

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

OKLAHOMA

TEXAS

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Sept. 1	September	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	22	23	-	-	45
S.M.	(21)	-	-	-	-	-	-	-	109	114	3,162	5,248	1,555	488	-	10,676
M.+	(30)	-	-	-	-	-	-	-	-	-	54	150	189	29	-	422
M.	(31)	-	475	6,265	16,791	3,635	27,166	5,390	5,390	8,586	63,681	364,078	287,812	80,307	-	809,854
S.L.M.+	(40)	-	55	572	294	32	953	595	595	279	2,451	9,769	4,599	819	-	18,512
S.L.M.	(41)	9	2,292	19,258	60,172	33,347	115,078	37,190	37,190	62,904	101,455	572,744	547,168	259,614	-	1,581,075
L.M.+	(50)	-	221	400	328	38	987	757	757	1,266	1,290	7,830	4,769	1,405	-	17,317
L.M.	(51)	-	392	4,199	14,743	8,181	27,515	25,509	25,509	35,579	44,855	96,359	59,029	28,787	-	290,118
S.G.O.+	(60)	-	11	31	120	7	169	55	55	112	161	271	132	79	-	810
S.G.O.	(61)	-	22	245	943	711	1,921	2,983	2,983	6,922	13,123	14,238	9,546	7,650	-	54,462
G.O.+	(70)	-	-	-	-	-	-	-	-	-	51	-	-	22	-	73
G.O.	(71)	-	-	-	80	141	221	248	248	743	1,343	1,122	1,020	1,748	-	6,224
Total		9	3,468	30,970	93,471	46,092	174,010	72,836	72,836	116,505	231,648	1,071,832	915,819	380,948	-	2,789,588
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	29	14	43	22	22	10	457	984	447	80	-	2,000
M.	(32)	-	144	7,427	45,083	27,443	80,097	2,620	2,620	13,248	35,969	202,878	265,060	161,116	-	680,891
S.L.M.	(42)	-	1,056	14,114	60,583	40,763	116,516	35,805	35,805	57,222	85,463	156,651	159,323	105,748	-	600,212
L.M.	(52)	-	121	2,677	11,311	9,533	23,642	12,112	12,112	23,716	78,355	68,499	39,117	18,326	-	240,125
Total		-	1,321	24,218	117,006	77,753	220,298	50,559	50,559	94,196	200,244	429,012	463,947	285,270	-	1,523,228
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	15	-	14	29	-	-	-	13	80	70	-	-	163
M.	(33)	-	-	387	1,795	2,043	4,225	386	386	185	2,131	5,323	11,629	10,764	-	30,418
S.L.M.	(43)	-	199	1,361	3,020	3,531	8,111	6,461	6,461	7,767	5,403	7,998	9,736	12,251	-	49,614
L.M.	(53)	-	132	495	879	1,804	3,310	3,426	3,426	10,293	9,239	7,761	3,652	6,760	-	41,131
Total		-	331	2,258	5,694	7,392	15,675	10,273	10,273	18,245	16,786	21,160	25,087	29,775	-	121,326
Tinged:																
All grades		-	22	15	44	246	327	142	142	749	427	302	323	1,454	-	3,397
Stained:																
All grades		-	-	-	-	-	-	-	-	-	-	-	9	6	-	15
Light Gray:																
All grades		-	-	-	15	4	19	534	534	584	107	290	437	647	-	2,599
Gray:																
All grades		-	-	15	-	-	15	44	44	10	20	3	26	127	-	230
Below Grade																
		-	-	196	116	352	664	547	547	4,322	8,763	7,248	2,219	6,255	-	29,354
All grades		9	5,142	57,672	216,346	131,839	411,008 1/	134,935	134,935	234,611	457,995	1,529,847	1,407,867	704,482	-	4,469,737 1/
Grade index		94.0	91.4	91.9	92.0	90.9	91.6	88.4	88.4	87.9	89.2	93.6	94.1	92.9	-	92.8
Staple Code																
26 and shorter		-	22	76	58	4	160	-	-	-	647	1,001	231	368	-	2,247
28		-	55	447	366	67	935	-	-	-	5,158	19,477	3,567	1,108	-	29,310
29		-	121	1,931	2,507	420	4,979	34	34	319	21,999	136,842	63,613	10,575	-	233,382
30		-	555	7,847	39,926	8,498	56,826	604	604	4,463	99,604	440,898	447,330	145,060	-	1,137,959
31		-	613	12,329	73,368	37,843	124,153	4,290	4,290	36,910	154,245	443,871	491,829	269,153	-	1,400,298
32		5	706	14,905	72,206	63,414	151,236	8,816	8,816	66,308	87,023	275,852	268,034	204,448	-	910,481
33		4	1,170	7,976	18,691	17,939	45,780	16,738	16,738	43,283	27,720	100,588	75,497	50,586	-	314,412
34		-	716	5,305	6,506	3,231	15,758	75,641	75,641	72,070	34,706	64,505	39,350	18,104	-	304,376
35		-	980	4,534	2,149	409	8,072	28,757	28,757	10,975	11,333	21,565	11,178	3,968	-	87,776
36		-	193	2,213	554	14	2,974	55	55	283	11,008	21,614	6,198	930	-	40,088
37		-	11	124	-	-	135	-	-	-	4,471	3,253	807	182	-	8,713
38		-	-	-	-	-	-	-	-	-	59	354	168	-	-	581
39		-	-	-	-	-	-	-	-	-	-	-	38	-	-	38
40 and longer		-	-	-	-	-	-	-	-	-	22	27	27	-	-	76
All staples		9	5,142	57,687	216,331	131,839	411,008 1/	134,935	134,935	234,611	457,995	1,529,847	1,407,867	704,482	-	4,469,737 1/
Average staple		32.4	32.8	32.1	31.4	31.8	31.7	33.8	33.8	32.7	31.5	31.1	31.0	31.3	-	31.3

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

NEW MEXICO

ARIZONA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	6	1,951	2,712	132	-	4,801	632	9,527	3,434	506	43	14,142
M.+	(30)	-	-	-	-	-	-	-	12	-	-	-	12
M.	(31)	72	23,576	31,232	9,311	900	65,091	4,862	132,742	126,926	64,891	6,137	335,558
S.L.M.+	(40)	-	1,100	2,910	1,058	76	5,144	435	3,987	4,058	5,093	573	14,146
S.L.M.	(41)	13	8,647	13,110	9,368	2,129	33,267	1,518	17,552	34,590	35,129	11,020	99,809
L.M.+	(50)	-	48	778	536	193	1,555	-	361	820	1,695	504	3,380
L.M.	(51)	-	160	826	1,621	747	3,354	21	987	2,444	5,411	4,252	13,115
S.G.O.+	(60)	-	-	-	-	-	-	-	12	49	157	98	316
S.G.O.	(61)	-	-	150	604	675	1,429	-	271	863	2,244	3,632	7,010
G.O.+	(70)	-	-	-	-	-	-	-	-	-	10	10	20
G.O.	(71)	-	-	23	9	281	313	-	72	93	312	987	1,464
Total		91	35,482	51,741	22,639	5,001	114,954	7,468	165,523	173,277	115,448	27,256	488,972
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	14	85	71	-	170	-	693	518	94	10	1,315
M.	(32)	8	1,950	3,865	3,454	644	9,921	656	32,978	29,906	7,371	1,026	71,937
S.L.M.	(42)	-	704	1,368	2,422	668	5,162	62	5,376	6,976	5,238	2,104	19,756
L.M.	(52)	-	70	69	487	704	1,330	36	613	1,095	4,685	5,245	11,674
Total		8	2,738	5,387	6,434	2,016	16,583	754	39,660	38,495	17,388	8,385	104,682
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	4	4	-	-	11	-	-	11
M.	(33)	-	28	162	272	114	576	21	146	173	217	71	628
S.L.M.	(43)	-	10	22	79	92	203	-	241	141	103	119	604
L.M.	(53)	-	10	-	27	161	198	-	49	97	578	801	1,525
Total		-	48	184	378	371	981	21	436	422	898	991	2,768
Tinged:													
All grades		-	-	-	-	20	20	-	-	-	-	41	41
Light Gray:													
All grades		-	30	-	-	-	30	-	130	51	86	127	394
Gray:													
All grades		-	-	-	-	-	-	-	-	-	10	7	17
Below Grade													
All grades		99	38,298	57,352	29,546	7,993	133,288 1/2	8,243	205,870	212,742	135,705	42,686	605,246 1/2
Grade index		99.2	98.3	97.7	94.7	87.0	96.5	98.6	98.6	97.7	95.2	84.8	96.5
Staple Code													
26 and shorter		-	10	12	-	23	45	-	-	-	-	24	24
28		-	50	305	203	35	593	-	37	12	-	160	209
29		-	180	1,418	1,878	183	3,659	-	12	-	10	228	250
30		-	70	3,352	5,248	1,627	10,297	-	98	119	225	1,845	2,287
31		-	110	1,427	2,368	981	4,886	-	196	216	696	2,863	3,971
32		-	286	1,334	2,011	1,274	4,905	-	377	1,359	4,463	8,269	14,468
33		-	181	962	1,175	968	3,286	39	914	3,190	6,794	7,902	18,839
34		-	318	2,407	2,300	1,540	6,565	1,875	54,846	50,633	37,018	15,943	160,315
35		-	3,978	6,829	5,390	986	17,183	6,329	145,578	147,938	83,545	5,063	388,453
36		32	24,281	32,176	8,114	376	64,979	-	2,590	8,275	2,860	290	14,015
37		21	8,718	7,016	832	-	16,587	-	1,210	931	55	84	2,280
38		46	116	114	27	-	303	-	12	-	10	10	32
39		-	-	-	-	-	-	-	-	-	19	5	24
40 and longer		-	-	-	-	-	-	-	-	69	10	-	79
All staples		99	38,298	57,352	29,546	7,993	133,288 1/2	8,243	205,870	212,742	135,705	42,686	605,246 1/2
Average staple		37.1	36.0	35.1	33.3	32.4	34.8	34.8	34.7	34.8	34.5	33.1	34.6

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

CALIFORNIA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	12	9	-	-	21
S.M.	(21)	376	13,342	7,280	1,692	1,465	24,155
M.+	(30)	-	12	-	-	53	65
M.	(31)	13,625	465,648	262,978	57,754	10,323	810,328
S.L.M.+	(40)	1,741	81,391	48,163	5,325	1,156	137,776
S.L.M.	(41)	1,838	273,646	250,148	46,389	8,822	580,843
L.M.+	(50)	-	8,218	10,174	2,436	319	21,147
L.M.	(51)	204	21,105	44,934	20,754	5,991	92,988
S.G.O.+	(60)	-	124	886	467	68	1,545
S.G.O.	(61)	-	936	5,137	6,690	3,211	15,974
G.O.+	(70)	-	-	30	32	-	62
G.O.	(71)	-	63	605	1,411	1,598	3,677
Total		17,784	864,497	630,344	142,950	33,006	1,688,581
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	85	81	47	31	244
M.	(32)	18	3,665	10,309	2,870	762	17,624
S.L.M.	(42)	25	6,505	11,772	4,273	1,032	23,607
L.M.	(52)	-	984	3,917	3,958	1,887	10,746
Total		43	11,239	26,079	11,148	3,712	52,221
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	93	9	-	-	102
M.	(33)	-	37	206	55	71	369
S.L.M.	(43)	-	252	450	400	178	1,280
L.M.	(53)	-	73	503	553	542	1,671
Total		-	455	1,168	1,008	791	3,422
Tinged:							
All grades		-	-	49	44	36	129
Stained:							
All grades		-	-	33	-	14	47
Light Gray:							
All grades		-	1,035	2,473	1,008	734	5,250
Gray:							
All grades		-	27	103	107	182	419
Below Grade							
		-	39	574	1,506	2,375	4,494
All grades		17,827	877,292	660,823	157,771	40,850	1,754,563 ^{1/}
Grade index		99.0	97.3	95.7	93.2	89.0	96.1
Staple Code							
26 and shorter		-	-	-	-	-	-
28		-	-	11	-	-	11
29		-	-	32	-	-	32
30		-	-	22	-	280	302
31		-	-	97	-	435	532
32		-	22	200	158	2,755	3,135
33		-	224	611	813	3,770	5,418
34		757	15,436	28,341	12,318	8,631	65,483
35		5,367	621,348	395,200	111,630	15,350	1,148,895
36		11,703	240,091	235,979	32,746	9,629	530,148
37		-	171	330	106	-	607
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		17,827	877,292	660,823	157,771	40,850	1,754,563 ^{1/}
Average staple		35.6	35.3	35.3	35.1	34.6	35.3

^{1/} As reported by the Bureau of the Census, running bales.

SOUTHEASTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74

		RALEIGH		COLUMBIA		AUGUSTA	
Grade and Staple		Ginned in State		Classing	Ginned in State		Ginned in State
		North	Virginia	Office	South		Georgia
		Carolina		total	Carolina		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	91	-	91	321		206
M.+	(30)	97	-	97	-		-
M.	(31)	2,876	41	2,917	10,160		3,276
S.L.M.+	(40)	263	33	296	2,355		734
S.L.M.	(41)	65,279	335	65,614	90,400		27,623
L.M.+	(50)	18,942	257	19,199	17,450		4,945
L.M.	(51)	56,062	1,028	57,090	89,909		24,197
S.G.O.+	(60)	1,997	60	2,057	3,622		1,320
S.G.O.	(61)	9,558	83	9,641	11,728		4,658
G.O.+	(70)	12	-	12	15		21
G.O.	(71)	1,214	9	1,223	1,532		510
Total		156,391	1,846	158,237	227,492		67,490
Light Spotted:							
G.M.	(12)	-	-	-	-		-
S.M.	(22)	-	-	-	257		100
M.	(32)	260	21	281	2,843		2,979
S.L.M.	(42)	3,995	-	3,995	25,695		16,490
L.M.	(52)	2,904	26	2,930	22,718		8,340
Total		7,159	47	7,206	51,513		27,909
Spotted:							
G.M.	(13)	-	-	-	-		-
S.M.	(23)	-	-	-	20		51
M.	(33)	34	-	34	126		223
S.L.M.	(43)	222	-	222	1,554		1,526
L.M.	(53)	281	9	290	2,844		1,073
Total		537	9	546	4,544		2,873
Tinged:							
All grades		19	-	19	78		51
Light Gray:							
All grades		20	-	20	437		87
Gray:							
All grades		24	-	24	86		20
Below Grade							
		722	9	731	2,512		1,335
All grades		164,872	1,911	166,783	286,662		99,765
Grade index		88.7	87.1	88.6	88.1		88.0
Staple Code							
26 and shorter		-	-	-	-		-
28		-	-	-	-		-
29		-	-	-	-		-
30		-	-	-	-		26
31		-	-	-	12		13
32		36	-	36	164		356
33		49	-	49	1,923		7,910
34		32,132	329	32,461	95,725		71,892
35		128,246	1,582	129,828	153,688		19,499
36		4,279	-	4,279	30,995		69
37		130	-	130	3,993		-
38		-	-	-	162		-
39		-	-	-	-		-
40 and longer		-	-	-	-		-
All staples		164,872	1,911	166,783	286,662		99,765
Average staple		34.8	34.8	34.8	34.8		34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		ATLANTA		BIRMINGHAM		MONTGOMERY		
Grade and Staple		Ginned in State ::		Ginned in State ::		Ginned in State		Classing Office total
		Georgia	::	Alabama	::	Alabama	Florida	
Grade	Code	Bales	::	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	-	::	-	::	-	-	-
S.M.	(21)	77	::	295	::	226	-	226
M.+	(30)	-	::	26	::	-	-	-
M.	(31)	5,301	::	10,673	::	4,652	97	4,749
S.L.M.+	(40)	846	::	326	::	916	9	925
S.L.M.	(41)	91,518	::	127,957	::	67,799	4,531	72,330
L.M.+	(50)	7,244	::	5,584	::	7,473	508	7,981
L.M.	(51)	88,308	::	65,328	::	46,756	4,981	51,737
S.G.O.+	(60)	2,503	::	94	::	256	19	275
S.G.O.	(61)	9,229	::	4,689	::	4,472	365	4,837
G.O.+	(70)	22	::	-	::	11	-	11
G.O.	(71)	856	::	333	::	317	15	332
Total		205,904	::	215,305	::	132,878	10,525	143,403
Light Spotted:								
G.M.	(12)	-	::	-	::	-	-	-
S.M.	(22)	54	::	134	::	178	-	178
M.	(32)	2,961	::	4,966	::	2,283	32	2,315
S.L.M.	(42)	37,137	::	31,299	::	15,292	770	16,062
L.M.	(52)	23,284	::	12,131	::	8,054	463	8,517
Total		63,436	::	48,530	::	25,807	1,265	27,072
Spotted:								
G.M.	(13)	-	::	-	::	-	-	-
S.M.	(23)	9	::	32	::	45	-	45
M.	(33)	118	::	1,315	::	114	-	114
S.L.M.	(43)	2,010	::	7,625	::	916	54	970
L.M.	(53)	2,579	::	3,984	::	1,078	87	1,165
Total		4,716	::	12,956	::	2,153	141	2,294
Tinged:								
All grades		85	::	1,178	::	89	-	89
Light Gray:								
All grades		109	::	495	::	344	23	367
Gray:								
All grades		7	::	130	::	11	-	11
Below Grade								
		2,559	::	3,610	::	489	55	544
All grades		276,816	::	282,204	::	161,771	12,009	173,780
Grade index		88.0	::	89.5	::	89.4	88.3	89.3
Staple Code								
26 and shorter		-	::	-	::	-	-	-
28		-	::	-	::	-	-	-
29		-	::	12	::	-	-	-
30		-	::	174	::	23	-	23
31		15	::	878	::	18	-	18
32		1,178	::	11,322	::	366	15	381
33		35,754	::	150,161	::	24,332	1,040	25,372
34		192,136	::	112,639	::	113,768	10,431	124,199
35		47,359	::	6,818	::	22,952	523	23,475
36		374	::	187	::	312	-	312
37		-	::	13	::	-	-	-
38		-	::	-	::	-	-	-
39		-	::	-	::	-	-	-
40 and longer		-	::	-	::	-	-	-
All staples		276,816	::	282,204	::	161,771	12,009	173,780
Average staple		34.0	::	33.4	::	34.0	34.0	34.0

SOUTH CENTRAL



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		GREENWOOD		JACKSON	
Grade and Staple		Ginned in State	::	Ginned in State	
		Mississippi	::	Mississippi	
Grade	Code	Bales	::	Bales	
White:					
G.M.	(11)	13	::	-	
S.M.	(21)	2,228	::	650	
M.+	(30)	590	::	-	
M.	(31)	30,328	::	4,847	
S.L.M.+	(40)	3,133	::	602	
S.L.M.	(41)	713,065	::	45,213	
L.M.+	(50)	28,165	::	1,341	
L.M.	(51)	436,955	::	26,955	
S.G.O.+	(60)	1,646	::	54	
S.G.O.	(61)	40,525	::	2,867	
G.O.+	(70)	30	::	-	
G.O.	(71)	4,382	::	378	
Total		1,261,060	::	82,907	
Light Spotted:					
G.M.	(12)	-	::	-	
S.M.	(22)	43	::	79	
M.	(32)	8,162	::	1,667	
S.L.M.	(42)	92,215	::	15,209	
L.M.	(52)	33,727	::	7,672	
Total		134,147	::	24,627	
Spotted:					
G.M.	(13)	-	::	-	
S.M.	(23)	-	::	2	
M.	(33)	676	::	11	
S.L.M.	(43)	4,986	::	786	
L.M.	(53)	3,181	::	1,264	
Total		8,843	::	2,063	
Tinged:					
All grades		204	::	17	
Light Gray:					
All grades		959	::	59	
Gray:					
All grades		28	::	-	
Below Grade					
		4,382	::	361	
All grades					
		1,409,623	::	110,034	
Grade index					
		89.8	::	89.5	
Staple Code					
26 and shorter		-	::	-	
28		-	::	-	
29		-	::	-	
30		13	::	-	
31		26	::	11	
32		317	::	321	
33		10,693	::	18,681	
34		713,064	::	79,442	
35		657,811	::	11,311	
36		26,583	::	240	
37		1,076	::	28	
38		40	::	-	
39		-	::	-	
40 and longer		-	::	-	
All staples					
		1,409,623	::	110,034	
Average staple					
		34.5	::	33.9	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		MEMPHIS				HAYTI	
Grade and Staple		Ginned in State				Classing	Ginned in State
		Tennessee	Kentucky	Arkansas	Mississippi	Office total	Missouri
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	1,010	-	7	651	1,668	42
M.+	(30)	-	-	-	-	-	-
M.	(31)	36,553	45	1,195	11,725	49,518	15,874
S.L.M.+	(40)	3,439	-	67	783	4,289	243
S.L.M.	(41)	193,910	98	24,550	105,952	324,510	101,955
L.M.+	(50)	5,085	-	360	3,219	8,664	5,323
L.M.	(51)	51,570	-	10,916	44,869	107,355	12,427
S.G.O.+	(60)	641	-	20	259	920	143
S.G.O.	(61)	4,243	-	1,427	6,031	11,701	809
G.O.+	(70)	41	-	-	-	41	-
G.O.	(71)	370	-	111	393	874	34
Total		296,862	143	38,653	173,882	509,540	136,850
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	46	-	-	58	104	-
M.	(32)	24,668	9	1,421	7,703	33,801	7,173
S.L.M.	(42)	73,224	52	12,273	30,486	116,035	23,315
L.M.	(52)	19,307	9	3,155	12,898	35,369	5,572
Total		117,245	70	16,849	51,145	185,309	36,060
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	876	-	18	321	1,215	153
S.L.M.	(43)	5,006	13	312	1,247	6,578	1,052
L.M.	(53)	2,435	-	167	997	3,599	1,761
Total		8,317	13	497	2,565	11,392	2,966
Tinged:							
All grades		79	-	-	22	101	10
Light Gray:							
All grades		248	-	75	141	464	28
Gray:							
All grades		-	-	-	-	-	23
Below Grade							
		1,100	-	129	877	2,106	1,378
All grades		423,851	226	56,203	228,632	708,912	177,315
Grade index		91.5	93.0	89.8	90.4	91.0	92.2
Staple Code							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	-	-	-
31		37	-	-	22	59	11
32		2,897	-	123	814	3,834	355
33		113,060	98	4,106	26,301	143,565	10,035
34		284,497	128	42,637	172,721	499,983	139,353
35		23,004	-	9,202	28,032	60,238	27,286
36		356	-	135	742	1,233	275
37		-	-	-	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		423,851	226	56,203	228,632	708,912	177,315
Average staple		33.8	33.6	34.1	34.0	33.9	34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA	
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
		Arkansas	::	Arkansas	::	Louisiana	::	Louisiana	
			::		::		::		
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	
White:			::		::		::		
G.M.	(11)	-	::	-	::	-	::	-	
S.M.	(21)	24	::	177	::	281	::	-	
M.+	(30)	-	::	-	::	-	::	-	
M.	(31)	19,652	::	27,018	::	15,385	::	1,848	
S.L.M.+	(40)	1,442	::	939	::	602	::	-	
S.L.M.	(41)	156,818	::	393,952	::	179,570	::	52,611	
L.M.+	(50)	7,393	::	10,943	::	3,193	::	180	
L.M.	(51)	29,204	::	181,518	::	75,655	::	23,990	
S.G.O.+	(60)	216	::	732	::	166	::	39	
S.G.O.	(61)	2,705	::	10,002	::	4,628	::	2,530	
G.O.+	(70)	18	::	-	::	-	::	9	
G.O.	(71)	338	::	620	::	525	::	498	
Total		217,810	::	625,901	::	280,005	::	81,705	
Light Spotted:			::		::		::		
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	20	::	-	::	37	::	-	
M.	(32)	7,671	::	4,842	::	17,182	::	379	
S.L.M.	(42)	21,131	::	52,374	::	77,295	::	15,085	
L.M.	(52)	3,547	::	16,634	::	14,610	::	6,068	
Total		32,369	::	73,850	::	109,124	::	21,532	
Spotted:			::		::		::		
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	-	::	-	::	12	::	10	
M.	(33)	156	::	204	::	1,177	::	94	
S.L.M.	(43)	623	::	1,898	::	5,173	::	910	
L.M.	(53)	351	::	2,013	::	2,266	::	1,011	
Total		1,130	::	4,115	::	8,628	::	2,025	
Tinged:			::		::		::		
All grades		10	::	82	::	152	::	11	
Light Gray:			::		::		::		
All grades		202	::	615	::	1,610	::	1,074	
Gray:			::		::		::		
All grades		48	::	12	::	32	::	93	
Below Grade		502	::	1,154	::	1,129	::	432	
All grades		252,071	::	705,729	::	400,680	::	106,872	
Grade Index		92.4	::	90.7	::	90.5	::	89.6	
Staple Code			::		::		::		
26 and shorter		-	::	-	::	-	::	-	
28		-	::	-	::	-	::	-	
29		-	::	-	::	-	::	-	
30		-	::	-	::	-	::	-	
31		-	::	38	::	-	::	-	
32		52	::	570	::	176	::	346	
33		4,915	::	23,905	::	13,866	::	6,774	
34		141,397	::	509,663	::	282,456	::	82,477	
35		104,013	::	169,791	::	101,770	::	17,132	
36		1,658	::	1,749	::	2,392	::	143	
37		36	::	13	::	20	::	-	
38		-	::	-	::	-	::	-	
39		-	::	-	::	-	::	-	
40 and longer		-	::	-	::	-	::	-	
All staples		252,071	::	705,729	::	400,680	::	106,872	
Average staple		34.4	::	34.2	::	34.2	::	34.1	

SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

ALTUS				DALLAS			
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		Oklahoma	Texas		Texas	Oklahoma	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	64	64	-	-	-
M.+	(30)	-	12	12	-	-	-
M.	(31)	26,546	67,082	93,628	2,274	620	2,894
S.L.M.+	(40)	953	438	1,391	29	-	29
S.L.M.	(41)	110,895	102,229	213,124	27,199	4,183	31,382
L.M.+	(50)	935	624	1,559	433	52	485
L.M.	(51)	24,011	11,367	35,378	52,660	3,504	56,164
S.G.O.+	(60)	152	16	168	67	17	84
S.G.O.	(61)	1,176	287	1,463	25,185	745	25,930
G.O.+	(70)	-	-	-	-	-	-
G.O.	(71)	122	14	136	2,034	99	2,133
Total		164,790	182,133	346,923	109,881	9,220	119,101
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	43	6	49	-	-	-
M.	(32)	79,361	117,620	196,981	5,950	736	6,686
S.L.M.	(42)	110,809	70,085	180,894	59,428	5,707	65,135
L.M.	(52)	18,410	5,935	24,345	97,935	5,232	103,167
Total		208,623	193,646	402,269	163,313	11,675	174,988
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	29	-	29	-	-	-
M.	(33)	4,156	3,957	8,113	170	69	239
S.L.M.	(43)	7,760	4,960	12,720	2,195	351	2,546
L.M.	(53)	2,819	850	3,669	6,017	491	6,508
Total		14,764	9,767	24,531	8,382	911	9,293
Tinged:							
All grades		284	259	543	25	43	68
Stained:							
All grades		-	6	6	-	-	-
Light Gray:							
All grades		19	-	19	405	-	405
Gray:							
All grades		15	-	15	26	-	26
Below Grade		358	123	481	9,108	306	9,414
All grades		388,853	385,934	774,787	291,140	22,155	313,295
Grade index		91.9	94.3	93.1	83.5	86.4	83.7
Staple Code							
26 and shorter		160	54	214	15	-	15
28		935	467	1,402	213	-	213
29		4,730	3,782	8,512	5,929	249	6,178
30		50,361	34,704	85,065	117,414	6,465	123,879
31		116,069	141,989	258,058	111,604	8,084	119,688
32		148,205	172,691	320,896	46,472	3,031	49,503
33		44,984	28,807	73,791	7,117	796	7,913
34		15,070	3,253	18,323	1,629	688	2,317
35		6,327	187	6,514	698	1,745	2,443
36		1,877	-	1,877	49	1,097	1,146
37		135	-	135	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		388,853	385,934	774,787	291,140	22,155	313,295
Average staple		31.7	31.5	31.6	30.8	31.6	30.8

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
		Texas	::	Texas	::	Texas	::	Texas	
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	
S.M.	(21)	-	::	-	::	119	::	3,514	
M.+	(30)	-	::	-	::	-	::	-	
M.	(31)	6,511	::	1,234	::	4,979	::	73,479	
S.L.M.+	(40)	200	::	-	::	633	::	147	
S.L.M.	(41)	47,478	::	15,904	::	40,183	::	179,590	
L.M.+	(50)	1,012	::	369	::	641	::	660	
L.M.	(51)	21,568	::	13,970	::	31,690	::	57,918	
S.G.O.+	(60)	130	::	23	::	53	::	75	
S.G.O.	(61)	8,813	::	3,677	::	4,379	::	4,989	
G.O.+	(70)	-	::	-	::	-	::	-	
G.O.	(71)	1,027	::	809	::	544	::	242	
Total		86,739	::	35,986	::	83,221	::	320,614	
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	7	::	-	::	32	::	842	
M.	(32)	10,362	::	955	::	2,280	::	150,837	
S.L.M.	(42)	55,766	::	18,425	::	45,555	::	150,270	
L.M.	(52)	39,043	::	10,621	::	22,435	::	45,719	
Total		105,178	::	30,001	::	70,302	::	347,668	
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	-	::	-	::	-	::	29	
M.	(33)	253	::	138	::	360	::	4,893	
S.L.M.	(43)	3,455	::	3,585	::	11,072	::	7,799	
L.M.	(53)	8,758	::	5,625	::	12,101	::	3,039	
Total		12,466	::	9,348	::	23,533	::	15,760	
Tinged:									
All grades		310	::	262	::	957	::	655	
Light Gray:									
All grades		132	::	201	::	883	::	102	
Gray:									
All grades		7	::	3	::	54	::	40	
Below Grade									
		5,585	::	5,874	::	5,561	::	404	
All grades		210,417	::	81,675	::	184,511	::	685,243	
Grade index		86.7	::	84.2	::	86.1	::	92.2	
Staple Code									
26 and shorter		-	::	636	::	-	::	120	
28		99	::	867	::	5	::	1,169	
29		2,659	::	1,511	::	47	::	14,952	
30		15,668	::	4,369	::	144	::	207,866	
31		49,297	::	11,127	::	506	::	319,083	
32		71,892	::	18,896	::	3,190	::	115,090	
33		28,250	::	24,237	::	25,017	::	20,612	
34		32,672	::	18,331	::	123,492	::	5,136	
35		9,755	::	1,659	::	32,045	::	908	
36		125	::	42	::	65	::	307	
37		-	::	-	::	-	::	-	
38		-	::	-	::	-	::	-	
39		-	::	-	::	-	::	-	
40 and longer		-	::	-	::	-	::	-	
All staples		210,417	::	81,675	::	184,511	::	685,243	
Average staple		32.2	::	32.4	::	34.0	::	30.9	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

LUBBOCK					EL PASO				
Grade and Staple		Ginned in State		Classing Office total	Ginned in State			Classing Office total	
		Texas	New Mexico		Texas	New Mexico	Arizona		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:									
G.M.	(11)	-	-	-	45	-	-	45	
S.M.	(21)	4,708	-	4,708	1,622	1,824	236	3,682	
M.+	(30)	356	-	356	54	-	-	54	
M.	(31)	617,393	773	618,166	11,662	21,389	12,164	45,215	
S.L.M.+	(40)	13,095	-	13,095	1,186	3,362	1,491	6,039	
S.L.M.	(41)	1,139,537	2,833	1,142,370	7,210	12,948	3,721	23,879	
L.M.+	(50)	13,153	33	13,186	218	1,466	424	2,108	
L.M.	(51)	98,414	174	98,588	468	946	326	1,740	
S.G.O.+	(60)	446	-	446	-	-	-	-	
S.G.O.	(61)	5,713	2	5,715	113	265	169	547	
G.O.+	(70)	73	-	73	-	-	-	-	
G.O.	(71)	1,076	-	1,076	19	124	65	208	
Total		1,893,964	3,815	1,897,779	22,597	42,324	18,596	83,517	
Light Spotted:									
G.M.	(12)	-	-	-	-	-	-	-	
S.M.	(22)	1,092	-	1,092	21	73	216	310	
M.	(32)	378,758	3,300	382,058	3,809	4,741	2,593	11,143	
S.L.M.	(42)	195,129	2,553	197,682	1,631	1,156	496	3,283	
L.M.	(52)	16,926	30	16,956	1,029	783	531	2,343	
Total		591,905	5,883	597,788	6,490	6,753	3,836	17,079	
Spotted:									
G.M.	(13)	-	-	-	-	-	-	-	
S.M.	(23)	134	4	138	-	-	11	11	
M.	(33)	19,707	102	19,809	726	413	240	1,379	
S.L.M.	(43)	15,616	61	15,677	554	65	35	654	
L.M.	(53)	4,228	-	4,228	413	125	21	559	
Total		39,685	167	39,852	1,693	603	307	2,603	
Tinged:									
All grades		768	-	768	122	20	13	155	
Stained:									
All grades		9	-	9	-	-	-	-	
Light Gray:									
All grades		860	-	860	10	-	-	10	
Gray:									
All grades		100	-	100	-	-	-	-	
Below Grade		1,208	42	1,250	610	504	468	1,582	
All grades		2,528,499	9,907	2,538,406	31,522	50,204	23,220	104,946	
Grade index		94.9	93.7	94.9	95.1	96.2	96.3	95.9	
Staple Code									
26 and shorter		1,409	-	1,409	-	-	-	-	
28		26,402	155	26,557	31	14	-	45	
29		203,875	2,158	206,033	12	7	-	19	
30		753,591	5,401	758,992	599	639	41	1,279	
31		755,403	1,761	757,164	505	299	91	895	
32		470,265	286	470,551	1,526	1,364	506	3,396	
33		171,211	93	171,304	2,730	1,143	888	4,761	
34		84,781	31	84,812	4,812	2,474	5,855	13,141	
35		32,238	11	32,249	6,050	6,613	5,840	18,503	
36		26,086	-	26,086	11,062	29,047	7,941	48,050	
37		2,798	11	2,809	4,184	8,538	2,058	14,780	
38		359	-	359	11	66	-	77	
39		27	-	27	-	-	-	-	
40 and longer		54	-	54	-	-	-	-	
All staples		2,528,499	9,907	2,538,406	31,522	50,204	23,220	104,946	
Average staple		31.0	30.0	31.0	35.0	35.7	35.1	35.3	

A map of Western California showing the boundaries of the Smith-Doxey Classing Office Territories. The map is divided into several large regions, each outlined in thick black lines. The regions are labeled with their respective office names: Fresno, Bakersfield, Phoenix, El Centro, and El Paso. Major cities are marked with black dots and labeled: Fresno, Bakersfield, Phoenix, El Centro, and El Paso. The map also shows the boundaries of various counties, including Kern, Santa Barbara, San Luis Obispo, Monterey, San Jose, Santa Cruz, San Diego, Imperial, Riverside, San Bernardino, Los Angeles, Ventura, Santa Monica, Los Angeles, Orange, and San Diego. The map is oriented with North at the top.

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		CARLSBAD		PHOENIX		FRESNO	
Grade and Staple		Ginned in State		Classing Office total	Ginned in State Arizona	Ginned in State California	
		New Mexico	Texas				
Grade	Code	Bales	Bales	Bales	Bales	Bales	
White:							
G.M.	(11)	-	-	-	-	9	
S.M.	(21)	2,977	649	3,626	10,197	8,646	
M.+	(30)	-	-	-	-	53	
M.	(31)	42,929	25,240	68,169	298,478	285,312	
S.L.M.+	(40)	1,782	2,784	4,566	11,471	77,441	
S.L.M.	(41)	17,486	21,745	39,231	81,834	250,092	
L.M.+	(50)	56	207	263	2,893	10,563	
L.M.	(51)	2,234	2,063	4,297	11,204	42,510	
S.G.O.+	(60)	-	-	-	302	831	
S.G.O.	(61)	1,162	1,306	2,468	6,199	6,856	
G.O.+	(70)	-	-	-	10	51	
G.O.	(71)	189	459	648	1,230	1,199	
Total		68,815	54,453	123,268	423,818	683,563	
Light Spotted:							
G.M.	(12)	-	-	-	-	-	
S.M.	(22)	97	-	97	691	136	
M.	(32)	1,880	10,320	12,200	64,150	5,162	
S.L.M.	(42)	1,453	3,923	5,376	15,789	8,964	
L.M.	(52)	517	482	999	9,405	3,165	
Total		3,947	14,725	18,672	90,035	17,427	
Spotted:							
G.M.	(13)	-	-	-	-	-	
S.M.	(23)	-	-	-	-	102	
M.	(33)	61	214	275	367	233	
S.L.M.	(43)	77	378	455	518	492	
L.M.	(53)	73	100	173	1,275	518	
Total		211	692	903	2,160	1,345	
Tinged:							
All grades		-	39	39	28	64	
Stained:							
All grades		-	-	-	-	8	
Light Gray:							
All grades		30	6	36	216	2,778	
Gray:							
All grades		-	-	-	10	272	
Below Grade		174	881	1,055	6,794	868	
All grades		73,177	70,796	143,973	523,061	706,325	
Grade index		97.2	95.1	96.2	96.7	95.9	
Staple Code							
26 and shorter		45	13	58	24	-	
28		424	57	481	185	-	
29		1,494	615	2,109	250	-	
30		4,257	3,604	7,861	2,094	-	
31		2,826	10,784	13,610	3,686	-	
32		3,255	10,459	13,714	12,841	18	
33		2,050	6,431	8,481	16,288	53	
34		4,060	30,270	34,330	137,549	7,254	
35		10,559	4,236	14,795	343,713	422,105	
36		35,932	2,352	38,284	6,074	276,376	
37		8,038	1,731	9,769	222	519	
38		237	211	448	32	-	
39		-	11	11	24	-	
40 and longer		-	22	22	79	-	
All staples		73,177	70,796	143,973	523,061	706,325	
Average staple		34.9	33.1	34.0	34.6	35.4	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

BAKERSFIELD

EL CENTRO

Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State		Classing Office total
		California	Nevada			California	Arizona	
Grade	Code	Bales	Bales	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	12	-	12	::	-	-	-
S.M.	(21)	11,422	-	11,422	::	4,087	3,709	7,796
M.+	(30)	12	-	12	::	-	12	12
M.	(31)	461,483	1,550	463,033	::	63,533	24,916	88,449
S.L.M.+	(40)	58,262	14	58,276	::	2,073	1,184	3,257
S.L.M.	(41)	302,491	241	302,732	::	28,260	14,254	42,514
L.M.+	(50)	10,421	-	10,421	::	163	63	226
L.M.	(51)	46,156	-	46,156	::	4,322	1,585	5,907
S.G.O.+	(60)	714	-	714	::	-	14	14
S.G.O.	(61)	7,510	-	7,510	::	1,608	642	2,250
G.O.+	(70)	11	-	11	::	-	10	10
G.O.	(71)	1,779	-	1,779	::	699	169	868
Total		900,273	1,805	902,078	::	104,745	46,558	151,303
Light Spotted:								
G.M.	(12)	-	-	-	::	-	-	-
S.M.	(22)	12	-	12	::	96	408	504
M.	(32)	2,998	-	2,998	::	9,464	5,194	14,658
S.L.M.	(42)	10,314	7	10,321	::	4,329	3,471	7,800
L.M.	(52)	5,385	1	5,386	::	2,196	1,738	3,934
Total		18,709	8	18,717	::	16,085	10,811	26,896
Spotted:								
G.M.	(13)	-	-	-	::	-	-	-
S.M.	(23)	-	-	-	::	-	-	-
M.	(33)	115	-	115	::	21	21	42
S.L.M.	(43)	583	-	583	::	205	51	256
L.M.	(53)	751	-	751	::	402	229	631
Total		1,449	-	1,449	::	628	301	929
Tinged:								
All grades		42	-	42	::	23	-	23
Stained:								
All grades		39	-	39	::	-	-	-
Light Gray:								
All grades		2,248	-	2,248	::	224	178	402
Gray:								
All grades		140	-	140	::	7	7	14
Below Grade		1,613	-	1,613	::	2,013	1,110	3,123
All grades		924,513	1,813	926,326	::	123,725	58,965	182,690
Grade index		96.4	99.1	96.4	::	95.9	95.6	95.8
Staple Code								
26 and shorter		-	-	-	::	-	-	-
28		-	-	-	::	11	24	35
29		-	-	-	::	32	-	32
30		-	-	-	::	302	152	454
31		-	-	-	::	532	194	726
32		13	-	13	::	3,104	1,121	4,225
33		93	-	93	::	5,272	1,663	6,935
34		15,820	-	15,820	::	42,409	16,911	59,320
35		654,727	66	654,793	::	72,063	38,900	110,963
36		253,772	1,741	255,513	::	-	-	-
37		88	6	94	::	-	-	-
38		-	-	-	::	-	-	-
39		-	-	-	::	-	-	-
40 and longer		-	-	-	::	-	-	-
All staples		924,513	1,813	926,326	::	123,725	58,965	182,690
Average staple		35.3	36.0	35.3	::	34.5	34.6	34.5

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1973-74 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average milke				
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	Below 3.5	3.5-4.9	5.0 and above	9.0 and above	1972	1973	Rdg.	Rdg.			
Va.	-	-	2.8	-	-	1.4	-	0.5	9.2	21.1	46.8	61.6	35.1	14.3	5.2	1.1	0.9	-	2.8	1.9	91.1	97.0	6.1	1.1	4.4	4.1			
N. C.	*	-	0.3	0.1	1.7	0.9	2.7	1.7	21.1	20.3	44.4	51.3	26.4	23.7	3.1	1.9	0.3	0.1	4.7	2.7	91.9	95.3	3.4	2.0	4.2	4.2			
S. C.	*	-	0.3	*	1.6	0.2	2.0	0.5	17.9	6.6	45.5	37.5	27.2	47.9	4.8	6.8	0.7	0.5	3.9	0.7	90.6	92.0	5.5	7.3	4.3	4.5			
Ga.	-	*	*	*	0.6	*	1.2	0.3	15.6	8.7	45.2	42.5	30.7	41.8	5.4	6.2	1.3	0.5	1.8	0.3	91.5	93.0	6.7	6.7	4.3	4.4			
Fla.	-	-	-	-	0.3	0.2	1.3	0.2	2.0	6.4	22.8	40.0	58.4	44.8	14.2	8.2	0.6	0.2	0.4	0.4	3.6	91.2	95.4	8.4	1.0	4.5	4.1		
Ala.	*	-	0.1	*	0.8	0.3	1.7	0.8	16.3	8.6	46.6	31.1	30.5	41.6	3.6	13.5	0.4	4.1	2.6	1.1	93.4	81.3	4.0	17.6	4.3	4.5			
Miss.	*	*	0.1	0.1	0.9	0.8	1.2	1.0	9.0	7.0	36.1	27.2	42.9	46.3	8.9	15.0	0.9	2.6	2.2	1.9	88.0	80.5	9.8	17.6	4.4	4.6			
Ky.	-	-	-	-	0.6	-	1.2	-	31.5	4.0	57.8	35.4	8.3	60.6	-	-	0.6	-	1.8	-	97.6	100.0	0.6	-	4.1	4.5			
Tenn.	*	*	0.1	*	0.7	0.1	1.5	0.4	20.9	5.4	53.2	30.1	22.1	50.8	1.4	11.3	0.1	1.9	2.3	0.5	96.2	86.3	1.5	13.2	4.2	4.6			
Mo.	-	*	*	0.3	1.1	1.9	2.3	2.6	23.3	17.7	51.0	39.7	21.4	30.6	0.9	6.0	*	1.2	3.4	4.8	95.7	88.0	0.9	7.2	4.2	4.3			
Ark.	*	*	0.1	0.1	0.6	0.8	0.9	0.9	10.4	7.0	37.8	25.1	38.8	46.2	9.4	16.3	2.0	3.6	1.6	1.8	87.0	78.3	11.4	19.9	4.4	4.6			
La.	-	*	*	0.5	0.6	1.1	0.8	1.2	8.7	6.6	43.4	30.3	37.7	44.5	7.3	12.6	1.5	3.2	1.4	2.8	89.8	81.4	8.8	15.8	4.4	4.5			
Okla.	*	0.1	*	1.0	0.5	2.7	0.9	2.8	7.6	13.3	24.3	30.2	41.8	33.8	19.2	12.5	5.7	3.6	1.4	6.6	73.7	77.3	24.9	16.1	4.6	4.4			
Tex.	4.7	0.4	11.8	1.1	17.5	3.4	9.3	3.8	19.3	19.6	19.2	37.7	13.3	26.9	3.7	5.7	1.2	1.4	43.3	8.7	51.8	84.2	4.9	7.1	3.7	4.2			
N. M.	1.8	6.5	8.6	13.7	17.5	15.7	13.6	9.6	41.5	31.6	16.1	20.4	0.9	2.3	*	0.2	*	*	41.5	45.5	58.5	54.3	*	0.2	3.5	3.5			
Ariz.	0.1	1.1	1.0	3.1	2.6	5.0	2.1	3.2	9.4	10.7	29.4	25.0	45.7	41.3	9.0	9.6	0.7	1.0	5.8	12.4	84.5	77.0	9.7	10.6	4.4	4.3			
Nev.	-	-	0.6	0.7	5.4	12.8	10.0	9.7	33.9	21.3	38.1	36.2	12.0	19.3	-	-	-	-	16.0	23.2	84.0	76.8	-	-	3.9	4.0			
Calif.	*	0.4	0.3	2.0	1.0	3.4	1.1	2.3	7.6	13.5	37.5	44.3	49.5	32.3	2.9	1.7	0.1	0.1	2.4	8.1	94.6	90.1	3.0	1.8	4.4	4.2			
U. S.	1.5	0.4	3.8	1.1	6.3	2.5	3.9	2.4	14.2	13.5	32.9	34.6	30.8	35.4	5.6	8.4	1.0	1.7	15.5	6.4	77.9	83.5	6.6	10.1	4.2	4.3			

* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike						
	1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		Below 3.5		3.5-4.9		5.0 and above		1972 1973		Rdg. Rdg.		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NORTH CAROLINA																													
Prior to Oct. 1	-	-	-	-	-	0.3	-	0.6	30.1	15.3	51.4	56.0	18.5	26.6	-	1.2	-	-	-	0.9	100.0	97.9	-	1.2	4.2	4.3			
Oct.	-	-	0.1	-	0.4	0.4	1.3	1.1	22.8	18.0	49.6	52.8	24.4	25.5	1.3	2.1	0.1	0.1	1.8	1.5	96.8	96.3	1.4	2.2	4.2	4.2			
Nov.	*	-	0.1	0.2	1.4	1.4	2.6	2.4	20.0	23.7	43.5	49.0	27.9	21.3	4.2	1.9	0.3	0.1	4.1	4.0	91.4	94.0	4.5	2.0	4.2	4.2			
Dec.	*	-	0.7	0.8	3.3	4.3	3.8	4.7	20.7	28.1	40.8	42.8	26.9	17.9	3.7	1.4	0.1	-	7.8	9.8	88.4	88.8	3.8	1.4	4.2	4.1			
After Dec. 31	0.7	-	2.2	1.0	5.6	4.6	6.9	3.8	24.1	28.6	39.1	41.4	20.6	19.5	0.6	1.1	0.2	-	15.4	9.4	83.8	89.5	0.8	1.1	4.0	4.1			
Total crop	*	-	0.3	0.1	1.7	0.9	2.7	1.7	21.1	20.3	44.4	51.3	26.4	23.7	3.1	1.9	0.3	0.1	4.7	2.7	91.9	95.3	3.4	2.0	4.2	4.2			
SOUTH CAROLINA																													
Prior to Oct. 1	-	-	-	-	-	0.2	0.4	0.2	6.0	6.6	33.8	47.9	41.2	40.8	14.0	4.1	4.6	0.2	0.4	0.4	81.0	95.3	18.6	4.3	4.6	4.4			
Oct.	-	-	0.1	*	0.2	0.1	0.6	0.1	13.4	4.0	47.5	36.5	31.9	50.7	5.6	8.0	0.7	0.6	0.9	0.2	92.8	91.2	6.3	8.6	4.3	4.5			
Nov.	*	-	0.6	*	2.0	0.4	2.5	0.7	21.6	7.5	48.4	37.5	21.8	48.3	2.9	5.3	0.2	0.3	5.1	1.1	91.8	93.3	3.1	5.6	4.2	4.5			
Dec.	-	-	1.1	-	6.3	1.3	6.2	2.1	34.2	19.5	37.5	38.2	13.0	32.7	1.5	5.8	0.2	0.4	13.6	3.4	84.7	90.4	1.7	6.2	4.0	4.3			
After Dec. 31	*	-	1.6	0.2	6.2	1.0	7.9	2.8	30.3	18.3	35.4	28.6	17.0	37.9	1.6	10.0	-	1.2	15.7	4.0	82.7	84.8	1.6	11.2	4.0	4.4			
Total crop	*	-	0.3	*	1.6	0.2	2.0	0.5	17.9	6.6	45.5	37.5	27.2	47.9	4.8	6.8	0.7	0.5	3.9	0.7	90.6	92.0	5.5	7.3	4.3	4.5			
GEORGIA																													
Prior to Oct. 1	-	-	0.1	-	1.0	-	1.5	0.1	18.4	6.5	45.2	32.5	25.8	43.2	6.1	14.0	1.9	3.7	2.6	0.1	89.4	82.2	8.0	17.7	4.3	4.6			
Oct.	-	-	*	-	0.3	*	1.1	0.3	15.9	9.0	47.0	44.4	29.5	40.4	4.9	5.5	1.3	0.4	1.4	0.3	92.4	93.8	6.2	5.9	4.3	4.4			
Nov.	-	-	*	*	0.4	*	1.0	0.2	11.9	7.3	42.2	41.7	38.2	43.8	5.7	6.5	0.6	0.5	1.4	0.2	92.3	92.8	6.3	7.0	4.4	4.5			
Dec.	-	-	-	-	0.1	1.4	0.5	1.2	0.8	10.6	11.5	30.5	39.4	44.3	41.9	10.1	5.4	1.9	0.4	2.6	1.4	85.4	92.8	12.0	5.8	4.5	4.4		
After Dec. 31	-	0.1	0.2	0.1	1.2	1.2	2.4	2.7	14.8	13.4	39.6	35.6	36.5	39.1	4.4	7.0	0.9	0.8	3.8	4.1	90.9	88.1	5.3	7.8	4.3	4.4			
Total crop	-	*	*	*	0.6	*	1.2	0.3	15.6	8.7	45.2	42.5	30.7	41.8	5.4	6.2	1.3	0.5	1.8	0.3	91.5	93.0	6.7	6.7	4.3	4.4			
FLORIDA																													
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	9.1	-	46.2	100.0	39.9	-	4.8	-	-	-	-	95.2	-	4.8	-	4.4	4.3			
Oct.	-	-	-	-	0.2	-	0.2	1.4	5.0	11.3	40.0	65.3	44.2	20.4	10.0	0.4	0.4	1.2	0.4	1.4	89.2	97.0	10.4	1.6	4.5	4.3			
Nov.	-	-	-	-	0.4	0.6	-	0.8	6.7	15.4	34.2	66.7	50.3	15.1	8.0	1.2	0.4	0.2	0.4	1.4	91.2	97.2	8.4	1.4	4.5	4.2			
Dec.	-	-	-	0.6	1.6	2.1	3.2	3.3	12.1	41.6	47.3	44.9	35.8	7.2	-	0.3	-	-	4.8	6.0	95.2	93.7	-	0.3	4.3	4.0			
After Dec. 31	-	-	-	1.9	-	10.1	14.3	8.2	-	47.4	50.8	25.2	19.0	7.2	15.9	-	-	-	14.3	20.2	69.8	79.8	15.9	-	4.4	3.8			
Total crop	-	-	-	0.3	0.2	1.3	0.2	2.0	6.4	22.8	40.0	58.4	44.8	4.2	8.2	0.6	0.2	0.4	0.4	3.6	91.2	95.4	8.4	1.0	4.5	4.1			

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike					
	1972		1973		1972		1973		1972		1973		1972		1973		1972		1973		Below 3.5		3.5-4.9		5.0 and above		1972		1973	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	Rdg.	Rdg.
ALABAMA																														
Prior to Oct. 1	-	-	-	-	0.4	-	1.3	5.1	15.9	9.2	46.1	39.0	31.6	36.4	4.3	10.3	0.4	-	1.7	5.1	93.6	84.6	4.7	10.3	4.3	4.4	4.3	4.4	4.3	4.4
Oct.	-	-	-	-	0.2	0.1	0.7	0.3	13.4	7.2	48.6	31.8	32.7	42.5	3.8	13.9	0.6	4.2	0.9	0.4	94.7	81.5	4.4	18.1	4.3	4.6	4.3	4.6	4.3	4.6
Nov.	-	-	-	*	0.9	0.2	2.5	0.6	18.5	7.4	44.7	28.3	29.1	42.8	3.9	15.7	0.4	5.0	3.4	0.8	92.3	78.5	4.3	20.7	4.3	4.6	4.3	4.6	4.3	4.6
Dec.	0.2	-	1.3	0.1	4.5	1.2	4.6	2.3	27.4	16.7	37.9	36.7	21.6	35.9	2.2	6.3	0.3	0.8	10.6	3.6	86.9	89.3	2.5	7.1	4.1	4.3	4.1	4.3	4.1	4.3
After Dec. 31	-	-	1.0	0.4	4.3	1.3	3.8	3.0	23.7	11.8	43.6	30.8	21.7	39.0	1.8	8.8	0.1	4.9	9.1	4.7	89.0	81.6	1.9	13.7	4.1	4.4	4.1	4.4	4.1	4.4
Total crop	-	-	0.1	-	0.8	0.3	1.7	0.8	16.3	8.6	46.6	31.1	30.5	41.6	3.6	13.5	0.4	4.1	2.6	1.1	93.4	81.3	4.0	17.6	4.3	4.5	4.3	4.5	4.3	4.5
MISSISSIPPI																														
Prior to Oct. 1	-	-	-	-	-	-	0.1	0.1	3.0	1.9	27.9	18.4	51.9	52.3	14.6	21.2	2.5	6.1	0.1	0.1	82.8	72.6	17.1	27.3	4.6	4.7	4.6	4.7	4.6	4.7
Oct.	-	-	-	-	0.1	-	0.5	0.2	6.9	3.0	37.1	23.1	45.8	51.2	9.0	19.1	0.6	3.4	0.6	0.2	89.8	77.3	9.6	22.5	4.5	4.7	4.5	4.7	4.5	4.7
Nov.	-	-	0.2	*	1.5	0.8	2.3	1.4	14.4	10.9	40.7	34.5	35.2	42.5	5.2	8.9	0.5	1.0	4.0	2.2	90.3	87.9	5.7	9.9	4.3	4.4	4.3	4.4	4.3	4.4
Dec.	-	-	1.0	1.2	6.2	6.4	7.3	6.9	27.4	25.2	38.4	34.2	18.0	22.2	1.6	3.6	0.1	0.3	14.5	14.5	83.8	81.6	1.7	3.9	4.0	4.1	4.0	4.1	4.0	4.1
After Dec. 31	-	0.3	1.7	1.8	7.4	8.3	8.0	8.4	28.8	24.5	36.9	31.5	15.7	20.7	1.4	3.4	0.1	1.1	17.1	18.8	81.4	76.7	1.5	4.5	4.0	4.0	4.0	4.0	4.0	4.0
Total crop	-	-	0.1	0.1	0.9	0.8	1.2	1.1	9.0	7.1	36.1	27.2	42.9	46.3	8.9	14.8	0.9	2.6	2.2	2.0	88.0	80.6	9.8	17.4	4.4	4.6	4.4	4.6	4.4	4.6
TENNESSEE																														
Prior to Oct. 1	-	-	-	-	-	-	0.4	-	8.2	3.0	45.5	18.0	41.9	44.0	3.7	30.0	0.3	5.0	0.4	-	95.6	65.0	4.0	35.0	4.4	4.8	4.4	4.8	4.4	4.8
Oct.	-	-	-	*	0.3	-	0.9	0.2	16.2	3.7	56.5	27.4	24.5	53.1	1.5	13.2	0.1	2.4	1.2	0.2	97.2	84.2	1.6	15.6	4.3	4.6	4.3	4.6	4.3	4.6
Nov.	-	-	0.1	-	1.0	0.4	2.2	0.7	26.7	7.8	51.7	33.4	17.4	48.6	0.9	7.9	*	1.2	3.3	1.1	95.8	89.8	0.9	9.1	4.1	4.5	4.1	4.5	4.1	4.5
Dec.	-	-	0.3	*	2.7	1.1	3.8	1.3	34.9	12.8	45.9	43.8	11.9	35.3	0.5	4.7	*	1.0	6.8	2.4	92.7	91.9	0.5	5.7	4.0	4.3	4.0	4.3	4.0	4.3
After Dec. 31	-	-	0.4	-	2.2	0.9	3.2	1.3	37.1	20.0	45.7	39.9	11.0	30.1	0.4	6.2	-	1.6	5.8	2.2	93.8	90.0	0.4	7.8	4.0	4.3	4.0	4.3	4.0	4.3
Total	-	-	0.1	-	0.7	0.1	1.5	0.4	20.9	5.4	53.2	30.1	22.1	50.8	1.4	11.3	0.1	1.9	2.3	0.5	96.2	86.3	1.5	13.2	4.2	4.6	4.2	4.6	4.2	4.6
MISSOURI																														
Prior to Oct. 1	-	-	-	-	0.9	-	2.0	-	21.3	11.0	47.1	44.6	26.8	33.3	1.9	2.8	-	8.3	2.9	-	95.2	88.9	1.9	11.1	4.2	4.5	4.2	4.5	4.2	4.5
Oct.	-	-	0.1	-	0.7	0.5	1.9	0.8	20.8	11.5	50.5	39.7	25.0	37.6	1.0	8.3	*	1.6	2.7	1.3	96.3	88.8	1.0	9.9	4.2	4.4	4.2	4.4	4.2	4.4
Nov.	-	-	0.1	0.8	1.4	4.7	2.9	5.9	26.3	26.7	53.7	40.9	15.4	18.8	0.2	2.1	-	0.1	4.4	11.4	95.4	86.4	0.2	2.2	4.1	4.1	4.1	4.1	4.1	4.1
Dec.	-	-	0.1	0.9	1.4	5.9	3.6	8.3	25.9	43.4	55.1	34.7	13.7	6.6	0.2	0.2	-	-	5.1	15.1	94.7	84.7	0.2	0.2	4.1	3.9	4.1	3.9	4.1	3.9
After Dec. 31	-	-	0.2	0.8	1.5	3.2	3.5	2.0	29.6	44.6	52.2	31.0	12.7	17.6	0.3	0.8	*	-	5.2	6.0	94.5	93.2	0.3	0.8	4.1	4.0	4.1	4.0	4.1	4.0
Total crop	-	-	0.3	1.1	1.9	1.9	2.3	2.6	23.3	17.7	51.0	39.7	21.4	30.6	0.9	6.0	*	1.2	3.4	4.8	95.7	88.0	0.9	7.2	4.2	4.3	4.2	4.3	4.2	4.3

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals					Average milk			
	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.			
																									Below 3.5	3.5-4.9	5.0 and above
Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.		
Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.	Rdg.		
ARKANSAS																											
Prior to Oct. 1	-	-	-	-	0.2	0.6	0.5	0.6	7.5	4.0	33.4	21.0	39.4	38.8	13.9	22.7	5.1	12.3	0.7	1.2	80.3	63.8	19.0	35.0	4.6	4.7	
Oct.	-	-	-	-	0.2	-	0.4	0.1	8.9	3.2	37.3	23.1	41.0	50.3	10.2	19.0	2.0	4.3	0.6	0.1	87.2	76.6	12.2	23.3	4.5	4.7	
Nov.	-	-	-	-	0.2	0.9	1.1	1.1	1.3	12.5	9.1	40.4	26.9	37.4	44.0	6.7	14.5	1.0	2.9	2.0	2.6	90.3	80.0	7.7	17.4	4.4	4.5
Dec.	0.1	0.1	0.8	0.9	3.5	4.0	3.5	4.8	20.6	24.1	41.5	33.8	26.7	26.0	2.9	5.5	0.4	0.8	7.9	9.8	88.8	83.9	3.3	6.3	4.2	4.2	
After Dec. 31	0.1	-	0.9	0.6	4.1	4.3	4.0	6.3	22.0	27.6	41.5	33.4	24.4	23.1	2.7	4.0	0.3	0.7	9.1	11.2	87.9	84.1	3.0	4.7	4.1	4.1	
Total crop	-	-	0.1	0.1	0.6	0.8	0.9	0.9	10.4	7.0	37.8	25.1	38.8	46.2	9.4	16.3	2.0	3.6	1.6	1.8	87.0	78.3	11.4	19.9	4.4	4.6	
LOUISIANA																											
Prior to Oct. 1	-	-	-	-	-	-	-	-	4.2	-	29.8	7.8	46.4	32.7	15.2	26.1	4.4	33.4	*	-	80.4	40.5	19.6	59.5	4.6	5.0	
Oct.	-	-	-	-	0.2	-	0.3	0.1	6.0	2.4	43.5	24.5	41.0	49.6	7.7	18.2	1.3	5.2	0.5	0.1	90.5	76.5	9.0	23.4	4.5	4.7	
Nov.	-	-	0.1	-	1.3	0.3	1.7	0.6	14.6	6.0	49.4	35.3	29.1	47.9	3.3	8.8	0.5	1.1	3.1	0.9	93.1	89.2	3.8	9.9	4.3	4.5	
Dec.	-	0.2	0.3	2.4	2.6	6.2	3.2	5.7	20.2	21.4	49.1	38.2	22.2	22.9	2.2	2.8	0.2	0.2	6.1	14.5	91.5	82.5	2.4	3.0	4.2	4.1	
After Dec. 31	-	0.6	0.3	6.1	2.0	14.0	3.2	6.7	20.4	24.9	51.6	30.8	20.8	14.9	1.6	2.0	0.1	-	5.5	27.4	92.8	70.6	1.7	2.0	4.2	3.9	
Total crop	-	-	-	0.5	0.6	1.1	0.8	1.2	8.7	6.6	43.4	30.3	37.7	44.5	7.3	12.6	1.5	3.2	1.4	2.8	89.8	81.4	8.8	15.8	4.4	4.5	
OKLAHOMA																											
Prior to Oct. 1	-	-	-	-	1.9	-	-	-	-	-	18.3	44.4	65.0	55.6	14.8	-	-	-	1.9	-	83.3	100.0	14.8	-	4.7	4.5	
Oct.	-	-	-	0.6	-	1.2	*	0.9	2.6	6.3	15.3	31.1	48.7	43.5	24.1	14.2	9.3	2.2	-	2.7	66.6	80.9	33.4	16.4	4.8	4.5	
Nov.	-	-	-	0.4	0.1	0.9	0.6	1.0	4.4	8.7	18.7	34.7	44.8	39.5	23.9	11.3	7.5	3.5	0.7	2.3	67.9	82.9	31.4	14.8	4.7	4.5	
Dec.	-	-	-	0.7	0.5	2.1	0.8	2.5	7.6	12.4	26.1	29.5	41.4	35.0	18.4	13.8	5.2	4.0	1.3	5.3	75.1	76.9	23.6	17.8	4.6	4.4	
After Dec. 31	-	0.4	-	2.0	1.0	4.6	1.7	4.0	12.0	16.9	29.2	29.1	36.7	29.4	15.3	10.9	4.1	2.7	2.7	11.0	77.9	75.4	19.4	13.6	4.5	4.3	
Total crop	-	0.1	*	1.0	0.5	2.7	0.9	2.8	7.6	13.3	24.3	30.2	41.8	33.8	19.2	12.5	5.7	3.6	1.4	6.6	73.7	77.3	24.9	16.1	4.6	4.4	
TEXAS																											
Prior to Sept. 1	0.1	-	0.9	-	2.6	0.6	2.4	1.4	13.5	9.9	33.8	21.5	32.1	48.7	10.9	15.5	3.7	2.4	6.0	2.0	79.4	80.1	14.6	17.9	4.4	4.6	
Sept.	0.1	*	0.6	0.8	1.8	2.1	2.1	2.2	16.6	12.6	40.2	30.9	30.7	40.3	6.4	9.2	1.5	1.9	4.6	5.1	87.5	83.8	7.9	11.1	4.3	4.4	
Oct.	0.1	0.1	0.2	0.5	1.5	1.9	1.8	2.4	13.7	14.7	36.7	39.3	36.2	34.1	8.1	5.8	1.7	1.2	3.6	4.9	86.6	88.1	9.8	7.0	4.4	4.3	
Nov.	0.7	0.1	3.9	0.5	13.7	1.9	11.2	2.5	31.0	16.6	24.7	40.9	11.2	29.4	2.8	6.5	0.8	1.6	29.5	5.0	66.9	86.9	3.6	8.1	3.8	4.3	
Dec.	3.3	0.4	15.4	1.7	25.9	4.6	13.3	4.9	22.0	24.0	12.1	37.3	5.8	21.6	1.7	4.5	0.5	1.0	57.9	11.6	39.9	82.9	2.2	5.5	3.5	4.1	
After Dec. 31	13.1	0.9	21.8	2.6	24.2	6.1	10.5	6.0	16.1	25.3	8.1	36.2	4.3	18.5	1.4	3.5	0.5	0.9	69.6	15.6	28.5	80.0	1.9	4.4	3.3	4.0	
Total crop	4.7	0.4	11.8	1.1	17.5	3.4	9.3	3.8	19.3	19.6	19.2	37.7	13.3	26.9	3.7	5.7	1.2	1.4	43.3	8.7	51.8	84.2	4.9	7.1	3.7	4.2	

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Periods	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average													
	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Rdg.												
																									1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Rdg.
NEW MEXICO																																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0	-	-	4.2	4.0										
Oct.	-	-	0.4	0.3	2.6	2.6	5.5	5.9	49.7	46.3	39.6	42.6	2.2	2.3	-	-	-	-	-	-	8.5	8.8	91.5	91.2	-	3.9	3.9									
Nov.	0.1	2.5	2.6	12.8	14.6	22.5	16.5	13.6	52.9	32.3	12.9	13.6	0.4	2.4	0.3	-	-	-	-	-	33.8	51.4	66.2	48.3	0.3	3.6	3.5									
Dec.	3.0	16.4	15.8	30.0	30.5	20.0	16.3	7.5	27.2	16.2	6.6	8.0	0.5	1.9	0.1	-	-	-	-	-	65.6	73.9	34.3	26.1	0.1	3.3	3.1									
After Dec. 31	8.5	29.0	29.0	23.9	29.4	14.4	11.2	6.2	16.8	15.6	4.6	9.7	0.5	1.0	-	-	-	-	-	-	0.1	78.1	73.5	21.9	26.3	0.2	3.1	3.1								
Total crop	1.8	6.5	8.6	13.7	17.5	15.7	13.6	9.6	41.5	31.6	16.1	20.4	0.9	2.3	-	-	-	-	-	-	41.5	45.5	58.5	54.3	0.2	3.5	3.5									
ARIZONA																																				
Prior to Oct. 1	-	-	-	-	0.2	-	0.1	1.0	2.1	4.7	21.4	40.3	56.0	48.9	17.8	5.1	2.4	-	0.3	1.0	79.5	93.9	20.2	5.1	4.7	4.5										
Oct.	-	-	-	0.1	0.2	0.5	0.2	0.8	3.3	4.7	22.7	23.9	55.7	55.0	16.5	13.9	1.4	1.1	0.4	1.4	81.7	83.6	17.9	15.0	4.6	4.6										
Nov.	-	0.3	0.2	1.2	0.6	2.6	0.8	2.0	5.4	8.7	28.2	24.6	53.7	47.1	10.4	11.7	0.7	1.8	1.6	6.1	87.3	80.4	11.1	13.5	4.5	4.5										
Dec.	0.1	2.5	1.1	6.9	4.0	10.7	3.5	6.7	14.8	19.0	38.0	28.9	35.5	22.2	2.9	3.1	0.1	-	8.7	26.8	88.3	70.1	3.0	3.1	4.2	3.9										
After Dec. 31	1.2	6.1	6.0	14.9	12.5	21.4	8.7	10.7	26.1	22.8	31.2	16.9	13.8	6.6	0.5	0.6	-	-	28.4	53.1	71.1	46.3	0.5	0.6	3.8	3.5										
Total crop	0.1	1.1	1.0	3.1	2.6	5.0	2.1	3.2	9.4	10.7	29.4	25.0	45.7	41.3	9.0	9.6	0.7	1.0	5.8	12.4	84.5	77.0	9.7	10.6	4.4	4.3										
CALIFORNIA																																				
Prior to Oct. 1	-	-	-	-	0.2	0.1	0.2	-	5.1	19.7	51.5	63.3	42.4	16.7	0.6	0.2	-	-	0.4	0.1	99.0	99.7	0.6	0.2	4.4	4.2										
Oct.	-	-	-	-	-	-	0.2	0.1	0.5	4.9	9.4	37.8	49.2	54.0	39.4	3.2	1.3	-	0.1	0.7	96.7	98.0	3.2	1.3	4.5	4.4										
Nov.	-	0.4	0.2	2.8	1.1	5.1	1.1	3.6	7.6	18.2	38.1	42.3	48.7	25.4	3.1	2.0	0.1	0.2	2.4	11.9	94.4	85.9	3.2	2.2	4.4	4.1										
Dec.	0.1	1.5	1.0	7.2	4.2	11.0	4.1	6.1	16.7	15.4	32.7	28.1	38.7	27.8	2.4	2.8	0.1	0.1	9.4	25.8	88.1	71.3	2.5	2.9	4.2	4.0										
After Dec. 31	0.1	4.0	1.8	12.3	4.7	14.0	4.5	8.0	18.9	16.1	37.5	20.2	31.1	23.0	1.4	2.4	-	-	11.1	38.3	87.5	59.3	1.4	2.4	4.2	3.8										
Total crop	-	0.4	0.3	2.0	1.0	3.4	1.1	2.3	7.6	13.5	37.5	44.3	49.5	32.3	2.9	1.7	0.1	0.1	2.4	8.1	94.6	90.1	3.0	1.8	4.4	4.2										
UNITED STATES																																				
Prior to Sept. 1	0.1	-	0.9	-	2.6	0.6	2.4	1.4	13.5	9.9	33.8	21.5	32.1	48.7	10.9	15.5	3.7	2.4	6.0	2.0	79.4	80.1	14.6	17.9	4.4	4.6										
Sept.	-	-	0.2	0.6	0.7	1.5	1.0	1.6	10.2	10.7	36.2	32.8	39.3	39.7	10.0	10.2	2.4	2.9	1.9	3.7	85.7	83.2	12.4	13.1	4.5	4.4										
Oct.	-	-	-	-	-	0.3	0.4	0.6	9.3	7.0	40.5	33.3	41.6	45.0	6.8	11.6	0.9	2.1	0.9	1.0	91.4	85.3	7.7	13.7	4.4	4.5										
Nov.	0.1	0.1	0.8	0.9	3.5	2.2	3.5	2.3	17.1	13.9	37.4	37.1	32.4	34.7	4.6	7.3	0.6	1.5	7.9	5.5	86.9	85.7	5.2	8.8	4.2	4.5										
Dec.	2.2	0.8	10.4	2.5	18.6	5.3	10.1	4.9	20.7	21.6	20.2	35.0	14.3	23.9	2.8	5.0	0.7	1.0	41.3	13.5	55.2	80.5	3.5	6.0	3.7	4.1										
After Dec. 31	8.7	1.4	15.1	3.5	17.9	6.9	8.6	6.0	18.6	23.3	18.4	33.1	10.2	20.1	2.0	4.5	0.5	1.2	50.3	17.8	47.2	76.5	2.5	5.7	3.6	4.0										
Total crop	1.5	0.4	3.8	1.1	6.3	2.5	3.9	2.4	14.2	13.5	32.9	34.6	30.8	35.4	5.6	8.4	1.0	1.7	15.5	6.4	77.9	83.5	6.6	10.1	4.2	4.3										

Table 13. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by classing office territories, 1973-74 with comparisons

Classing Office	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike	
	1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		1972 1973		Below 3.5		3.5-4.9		5.0 and above		1972 1973	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Raleigh	■	-	0.4	0.1	1.7	0.9	2.7	1.7	21.1	20.3	44.5	51.4	26.3	23.6	3.0	1.9	0.3	0.1	4.8	2.7	91.9	95.3	3.3	2.0	4.2	4.2
Columbia	■	-	0.3	■	1.6	0.2	2.0	0.5	17.9	6.6	45.5	37.5	27.2	47.9	4.8	6.8	0.7	0.5	3.9	0.7	90.6	92.0	5.5	7.3	4.3	4.5
Augusta	-	-	■	■	0.1	0.1	0.4	0.5	7.0	11.2	30.0	48.1	42.7	34.2	15.1	5.1	4.7	0.8	0.5	0.6	79.7	93.5	19.8	5.9	4.6	4.4
Atlanta	-	■	■	■	0.7	■	1.5	0.3	18.5	7.7	49.9	40.7	26.9	44.3	2.3	6.6	0.2	0.4	2.2	0.3	95.3	92.7	2.5	7.0	4.2	4.5
Birmingham	■	-	0.2	■	1.0	0.1	1.7	0.4	14.8	4.5	45.6	24.5	32.5	46.1	3.8	18.4	0.4	6.0	2.9	0.5	92.9	75.1	4.2	24.4	4.3	4.7
Montgomery	-	-	■	0.2	0.6	0.7	1.6	1.5	18.6	16.1	47.9	44.0	27.1	32.6	3.9	4.6	0.3	0.3	2.2	2.4	93.6	92.7	4.2	4.9	4.3	4.3
Greenwood	■	■	0.1	0.1	0.9	0.9	1.2	1.2	7.2	7.2	34.2	26.8	45.5	46.2	9.9	15.3	1.0	2.3	2.2	2.2	86.9	80.2	10.9	17.6	4.5	4.5
Jackson	-	-	■	■	0.5	0.2	0.9	0.4	8.7	4.5	37.5	21.1	42.5	48.1	8.8	19.6	1.1	6.1	1.4	0.6	88.7	73.7	9.9	25.7	4.5	4.7
Memphis	■	■	0.1	■	0.7	0.4	1.4	0.5	19.1	6.6	51.0	31.5	25.1	48.5	2.3	10.4	0.3	2.1	2.2	0.9	95.2	86.6	2.6	12.5	4.2	4.5
Hayti	-	■	■	0.3	1.1	1.9	2.3	2.6	23.3	17.7	51.0	39.7	21.4	30.6	0.9	6.0	■	1.2	3.4	4.8	95.7	88.0	0.9	7.2	4.2	4.3
Blytheville	-	■	■	0.2	0.5	1.2	1.0	1.1	18.8	10.9	53.9	40.5	24.1	39.1	1.4	6.1	0.3	0.9	1.5	2.5	96.8	90.5	1.7	7.0	4.2	4.4
Little Rock	■	■	0.2	0.1	0.7	0.6	0.8	0.8	5.4	5.2	26.5	18.6	48.6	48.8	14.7	21.1	3.1	4.8	1.7	1.5	80.5	72.6	17.8	25.9	4.6	4.7
Winnboro	-	■	■	0.4	0.4	0.8	0.6	1.0	7.8	5.8	40.1	27.4	40.2	45.7	9.0	14.9	1.9	4.0	1.0	2.2	88.1	78.9	10.9	18.9	4.5	4.6
Alexandria	-	■	0.1	0.5	0.9	2.0	1.1	1.7	10.9	9.3	52.5	41.1	31.5	41.5	2.8	3.6	0.2	0.3	2.1	4.2	94.9	91.9	3.0	3.9	4.3	4.4
Altus	0.2	0.2	1.4	1.4	5.9	4.2	6.0	4.7	17.9	19.1	23.0	31.9	27.8	27.2	13.3	9.0	4.5	2.3	13.5	10.5	68.7	78.2	17.8	11.3	4.3	4.2
Dallas	■	■	0.3	0.4	1.3	1.5	2.1	1.2	18.7	9.6	42.3	31.3	28.1	47.7	5.8	7.6	1.4	0.7	3.7	3.1	89.1	88.6	7.2	8.3	4.3	4.4
Austin	■	■	0.4	0.6	1.3	1.7	1.5	2.2	9.1	11.2	30.5	31.8	39.7	43.3	12.6	7.7	4.9	1.5	3.2	4.5	79.3	86.3	17.5	9.2	4.5	4.4
Corpus Christi	■	■	0.1	■	0.5	1.0	0.8	2.9	7.6	22.1	29.8	29.4	40.3	29.5	16.1	11.2	4.8	3.9	1.4	3.9	77.7	81.0	20.9	15.1	4.6	4.4
Harlingen	0.3	■	1.7	0.4	4.5	0.8	3.7	0.9	16.2	5.2	37.5	21.8	29.3	52.3	5.7	16.2	1.1	2.4	10.2	2.1	83.0	79.3	6.8	18.6	4.2	4.6
Abilene	2.5	0.1	2.9	0.5	8.5	2.2	7.7	3.0	24.2	19.4	29.8	42.8	19.0	26.4	4.6	4.8	0.8	0.8	21.6	5.8	73.0	88.6	5.4	5.6	4.0	4.2
Lubbock	8.8	0.4	22.6	1.4	30.6	3.7	13.5	4.1	18.3	21.6	5.4	39.7	0.7	22.7	0.1	4.9	■	1.5	75.5	9.6	24.4	84.0	0.1	6.4	3.2	4.2
El Paso	0.6	8.5	4.9	15.0	13.1	17.2	10.5	9.7	42.3	28.1	25.3	18.6	3.2	2.8	0.1	0.1	-	■	29.1	50.4	70.8	49.5	0.1	0.1	3.7	3.4
Carlsbad	0.8	4.0	4.3	9.7	11.3	12.1	10.6	8.9	38.7	31.4	25.7	25.4	7.5	7.9	1.1	0.6	■	■	27.0	34.7	71.9	64.7	1.1	0.6	3.8	3.7
Phoenix	0.1	1.0	1.1	2.7	2.7	4.4	2.0	2.9	7.7	9.6	27.3	23.9	47.9	43.6	10.4	10.7	0.8	1.2	5.9	11.0	82.9	77.1	11.2	11.9	4.4	4.4
Fresno	■	0.4	0.2	1.8	0.7	3.2	0.7	2.1	5.7	13.6	33.6	45.5	55.8	32.7	3.2	0.7	0.1	■	1.6	7.5	95.1	91.8	3.3	0.7	4.5	4.2
Bakersfield	■	0.3	0.3	1.9	1.1	3.5	1.2	2.5	9.0	14.2	40.7	45.7	45.0	30.7	2.7	1.2	■	■	2.6	8.2	94.7	90.6	2.7	1.2	4.4	4.2
El Centro	0.1	0.7	0.6	2.5	1.8	4.2	1.5	2.8	8.3	9.2	40.5	29.8	43.8	40.5	3.3	9.4	0.1	0.9	4.0	10.2	92.6	79.5	3.4	10.3	4.4	4.3
United States	1.5	0.4	3.8	1.1	6.3	2.5	3.9	2.4	14.2	13.5	32.9	34.6	30.8	35.4	5.6	8.4	1.0	1.7	15.5	6.4	77.9	83.5	6.6	10.1	4.2	4.3

■ Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1973-74 with comparisons

State	Zero Gage Fiber Strength (Mpsi)																Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi		
N. C.	■	-	■	-	1.7	-	18.7	-	49.7	-	25.8	-	3.8	-	0.3	-	-	82.6	1/	
S. C.	-	-	-	■	1.3	2.8	16.3	24.3	43.0	49.8	32.2	20.2	6.8	2.9	0.4	*	-	83.4	81.8	
Ga.	-	-	0.1	0.1	2.1	4.0	15.2	30.6	37.3	45.8	34.2	17.8	10.1	1.7	1.0	*	■	83.9	81.1	
Ala.	-	-	0.3	0.4	5.3	4.4	34.1	32.7	36.8	43.9	18.3	15.9	4.8	2.3	0.4	0.4	■	81.2	81.0	
Miss.	-	-	-	■	1.0	2.0	10.9	25.0	35.4	51.3	38.0	19.2	13.0	2.5	1.7	■	-	84.7	81.7	
Tenn.	-	-	0.1	0.1	5.0	3.3	30.4	21.8	41.8	48.6	18.0	22.6	3.9	3.2	0.8	0.4	-	81.4	82.0	
Mo.	■	-	0.3	-	7.7	1.6	31.7	19.2	43.9	43.8	13.9	29.1	2.1	6.0	0.4	0.3	*	80.6	83.1	
Ark.	-	-	■	■	0.8	0.4	8.1	12.1	31.5	44.5	44.4	33.4	14.0	8.4	1.2	1.1	■	85.4	84.1	
La.	■	-	■	■	0.5	0.8	9.0	22.5	39.2	57.9	39.8	17.0	10.6	1.7	0.9	0.1	■	84.7	81.8	
Okla.	■	■	0.3	0.8	7.3	11.1	33.6	37.4	37.0	33.7	16.9	13.4	4.0	2.9	0.8	0.7	0.1	■	81.0	79.9
Tex.	0.3	■	4.7	0.2	21.1	3.3	33.2	17.6	23.8	38.2	12.2	28.6	4.1	9.2	0.6	2.2	■	78.6	83.5	
N. Mex.	■	-	0.7	■	3.0	0.4	11.0	2.8	12.5	8.0	21.0	13.3	28.8	18.8	17.6	32.2	5.4	24.5	88.7	94.2
Ariz.	-	-	■	-	0.4	0.1	8.4	4.0	40.2	30.7	39.0	46.3	9.9	15.1	1.7	2.8	0.4	1.0	84.8	86.3
Calif.	■	-	-	■	■	*	0.1	0.1	1.5	1.2	7.0	6.3	19.3	17.9	37.9	38.2	34.2	36.3	97.1	97.5
U. S.	■	■	1.5	0.1	7.9	2.3	19.1	16.9	28.2	36.7	23.2	23.1	9.4	8.3	6.0	6.9	4.7	5.7	84.0	85.1

1/ Not available.

■ Less than 0.05 percent.

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons

Period	Zero Gage Fiber Strength (Mpsi)																	Average strength		
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi	
<u>NORTH CAROLINA</u>																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	1.6	-	13.3	-	50.4	-	31.2	-	3.5	-	-	-	-	-	83.2	-
Nov.	0.1	-	0.1	-	1.9	-	18.3	-	49.2	-	25.6	-	4.4	-	0.4	-	-	-	82.7	-
Dec.	-	-	-	-	1.0	-	22.3	-	50.7	-	23.2	-	2.7	-	0.1	-	-	-	82.3	-
After Dec. 31	-	-	-	-	3.1	-	33.9	-	46.7	-	13.6	-	2.7	-	-	-	-	-	80.9	-
Total crop	-	-	-	-	1.7	-	18.7	-	49.7	-	25.8	-	3.8	-	0.3	-	-	-	82.6	1/
<u>SOUTH CAROLINA</u>																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	0.5	2.2	10.6	20.6	39.7	50.7	39.2	22.8	9.3	3.7	0.7	-	-	-	84.4	82.2
Nov.	-	-	-	0.1	2.5	3.7	21.8	28.1	46.3	47.9	25.0	18.2	4.2	1.9	0.2	0.1	-	-	82.4	81.4
Dec.	-	-	-	0.2	1.4	2.5	24.5	37.7	48.6	50.0	22.1	9.2	3.4	0.4	-	-	-	-	82.0	80.3
After Dec. 31	-	-	-	0.5	5.0	8.7	30.1	34.5	44.9	43.7	18.3	12.6	1.7	-	-	-	-	-	80.8	79.9
Total crop	-	-	-	-	1.3	2.8	16.3	24.3	43.0	49.8	32.2	20.2	6.8	2.9	0.4	-	-	-	83.4	81.8
<u>GEORGIA</u>																				
Prior to Oct. 1	-	-	0.6	-	0.8	0.2	9.2	6.6	33.0	39.5	40.2	49.7	14.4	3.9	1.8	0.1	-	-	85.2	84.4
Oct.	-	-	-	-	2.5	3.4	17.2	27.9	37.9	46.1	31.8	20.4	9.7	2.2	0.9	-	-	-	83.6	81.5
Nov.	-	-	0.1	0.1	3.0	5.0	17.3	35.1	38.4	46.5	33.7	12.0	7.2	1.2	0.3	0.1	-	-	83.3	80.5
Dec.	-	-	-	0.3	1.6	6.6	14.9	42.2	47.8	46.0	30.5	4.9	4.2	-	1.0	-	-	-	83.1	79.5
After Dec. 31	-	-	-	0.5	0.5	5.4	28.8	41.5	40.2	37.3	25.4	14.8	4.9	0.5	0.2	-	-	-	82.2	80.3
Total crop	-	-	0.1	0.1	2.1	4.0	15.2	30.6	37.3	45.8	34.2	17.8	10.1	1.7	1.0	-	-	-	83.9	81.1
<u>ALABAMA</u>																				
Prior to Oct. 1	-	-	-	-	2.3	-	23.4	9.8	33.0	51.4	26.3	35.8	13.7	3.0	1.3	-	-	-	83.6	83.9
Oct.	-	-	0.6	0.1	6.3	2.1	33.6	26.1	35.7	46.2	18.7	21.4	4.5	3.4	0.5	0.7	0.1	-	81.0	82.0
Nov.	-	-	0.1	0.4	3.9	6.0	37.7	36.0	38.7	42.6	16.1	13.0	3.2	1.9	0.3	0.1	-	-	80.9	80.4
Dec.	-	-	-	1.0	5.8	6.9	35.8	43.4	41.8	41.7	14.8	6.8	1.8	0.2	-	-	-	-	80.6	79.4
After Dec. 31	-	-	-	-	9.9	8.1	42.6	49.8	40.1	33.5	7.4	8.2	-	0.4	-	-	-	-	79.3	79.2
Total crop	-	-	0.3	0.4	5.3	4.4	34.1	32.7	36.8	43.9	18.3	15.9	4.8	2.3	0.4	0.4	-	-	81.2	81.0
<u>MISSISSIPPI</u>																				
Prior to Oct. 1	-	-	-	-	1.2	1.8	1.2	15.4	18.3	41.7	48.7	32.3	27.4	8.8	3.2	-	-	-	87.4	83.8
Oct.	-	-	-	-	0.8	1.0	10.0	16.2	35.3	52.4	39.6	26.8	12.5	3.6	1.8	-	-	-	84.9	82.8
Nov.	-	-	-	-	1.3	3.6	16.1	38.9	47.4	50.0	30.4	7.2	4.2	0.3	0.6	-	-	-	83.0	80.1
Dec.	-	-	-	-	2.1	4.9	24.3	44.2	54.7	45.7	18.4	4.9	0.5	0.3	-	-	-	-	81.4	79.5
After Dec. 31	-	-	-	-	2.8	4.7	33.1	52.7	53.4	39.6	9.9	3.0	0.7	-	0.1	-	-	-	80.6	79.1
Total crop	-	-	-	-	1.0	2.0	10.9	25.0	35.4	51.3	38.0	19.2	13.0	2.5	1.7	-	-	-	84.7	81.7

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																		Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi	
TENNESSEE																				
Prior to Oct. 1	-	-	-	-	1.4	-	5.2	14.0	39.3	40.8	31.8	24.5	20.9	20.7	1.4	-	-	-	85.6	84.5
Oct.	-	-	-	-	3.3	1.8	24.5	14.0	42.8	49.7	23.8	29.5	4.3	4.5	1.3	0.5	-	-	82.3	83.0
Nov.	-	-	0.4	0.2	5.6	6.5	41.5	35.2	43.9	47.1	8.2	10.8	0.4	0.2	-	-	-	-	79.8	80.1
Dec.	-	-	-	0.2	7.8	5.3	47.8	41.7	37.6	46.1	6.4	6.5	0.4	0.2	-	-	-	-	79.3	79.7
After Dec. 31	-	-	0.9	-	16.0	5.0	47.6	41.5	33.2	42.8	2.3	10.7	-	-	-	-	-	-	77.9	80.0
Total crop	-	-	0.1	0.1	5.0	3.3	30.4	21.8	41.8	48.6	18.0	22.6	3.9	3.2	0.8	0.4	-	-	81.4	82.0
MISSOURI																				
Prior to Oct. 1	-	-	-	-	-	-	10.7	-	50.5	-	31.3	-	6.1	-	1.4	-	-	-	84.0	-
Oct.	-	-	-	-	4.5	0.6	26.1	12.1	51.5	41.5	15.3	36.7	2.1	8.6	0.5	0.5	-	-	81.4	84.2
Nov.	-	-	0.3	-	7.0	3.8	40.5	32.3	38.2	48.7	12.0	14.6	1.9	0.6	0.1	-	-	-	80.1	80.8
Dec.	-	-	0.1	-	11.1	2.4	48.9	35.2	32.1	46.7	6.7	13.4	1.1	2.0	-	0.3	-	-	78.9	80.9
After Dec. 31	0.1	-	1.8	-	26.4	8.8	50.4	51.4	18.7	35.6	2.2	3.8	0.3	-	0.1	-	0.4	-	76.6	78.7
Total crop	-	-	0.3	-	7.7	1.6	31.7	19.2	43.9	43.8	13.9	29.1	2.1	6.0	0.4	0.3	-	-	80.6	83.1
ARKANSAS																				
Prior to Oct. 1	-	-	-	-	0.6	-	3.7	2.7	23.9	26.4	45.5	51.1	22.5	19.8	3.5	-	0.3	-	87.0	86.4
Oct.	-	-	-	-	-	0.1	4.7	5.7	28.9	40.3	49.9	40.3	15.4	11.8	1.1	1.6	0.2	-	86.0	85.2
Nov.	-	-	-	-	0.3	0.7	8.9	18.4	39.4	53.0	40.2	25.0	9.8	2.6	1.3	0.3	0.1	-	84.7	82.6
Dec.	-	-	0.3	-	4.4	2.4	28.6	35.0	48.9	49.9	15.5	11.2	2.1	1.5	0.2	-	-	-	81.1	80.7
After Dec. 31	-	-	-	-	7.2	4.8	40.6	36.3	40.4	44.0	10.7	12.9	1.0	2.0	0.1	-	-	-	80.0	80.5
Total crop	-	-	-	-	0.8	0.4	8.1	12.1	31.5	44.5	44.4	33.4	14.0	8.4	1.2	1.1	-	0.1	85.4	84.1
LOUISIANA																				
Prior to Oct. 1	-	-	-	-	0.1	-	3.4	-	25.5	-	43.5	-	25.1	-	2.4	-	-	-	86.9	-
Oct.	-	-	-	-	0.4	0.3	9.3	14.9	40.1	57.3	40.0	24.2	9.4	3.2	0.8	0.1	-	-	84.6	82.8
Nov.	-	-	-	-	0.2	0.2	7.5	25.3	43.7	63.1	40.7	11.0	7.2	0.4	0.7	-	-	-	84.5	81.2
Dec.	-	-	-	0.1	0.3	4.1	9.6	42.2	47.1	44.6	39.0	8.8	4.0	0.2	-	-	-	-	83.9	80.0
After Dec. 31	0.1	-	0.7	-	7.0	-	43.5	-	40.0	-	8.1	-	0.5	-	-	0.1	-	-	79.5	-
Total crop	-	-	-	-	0.5	0.8	9.0	22.5	39.2	57.9	39.8	17.0	10.6	1.7	0.9	0.1	-	-	84.7	81.8
OKLAHOMA																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	0.6	12.7	12.4	20.2	40.4	22.3	35.6	38.4	8.9	3.2	2.0	3.2	0.1	-	84.4	82.3
Nov.	-	-	-	-	2.7	4.5	19.2	21.3	42.3	36.7	26.6	28.3	7.1	7.6	1.6	1.6	0.5	-	83.2	82.8
Dec.	-	-	-	0.6	7.1	9.4	40.1	37.2	37.9	38.2	11.3	11.7	3.0	2.4	0.6	0.5	-	-	80.3	80.0
After Dec. 31	0.1	0.1	1.0	1.6	13.5	16.4	43.9	46.0	30.8	25.2	9.4	8.8	1.0	1.6	0.4	0.3	-	-	78.9	78.4
Total crop	-	-	0.3	0.8	7.3	11.1	33.6	37.4	37.0	33.7	16.9	13.4	4.0	2.9	0.8	0.7	0.1	-	81.0	79.9

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																		Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1972	1973
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
																		1972		
Prior to Oct. 1	■	-	0.2	0.2	3.6	2.8	17.7	14.9	37.2	33.6	31.0	33.2	10.2	13.0	0.8	1.5	0.1	■	83.5	84.1
Oct.	0.1	■	0.6	■	5.6	1.0	16.9	8.2	31.9	30.9	30.3	38.1	10.8	15.9	2.7	3.4	1.1	2.5	83.7	86.0
Nov.	0.1	■	1.7	0.4	14.2	2.6	41.7	14.3	28.0	38.3	9.0	30.5	3.8	9.8	1.3	3.2	0.2	0.9	79.3	84.1
Dec.	0.2	-	5.0	0.2	26.6	3.5	41.9	20.9	19.6	41.2	4.8	25.9	1.6	6.7	0.3	1.4	■	0.2	76.9	82.8
After Dec. 31	0.8	■	10.3	0.9	35.4	6.3	34.7	26.2	14.5	37.9	3.4	21.5	0.9	5.7	■	1.3	■	0.2	75.3	81.8
Total crop	0.3	■	4.7	0.2	21.1	3.3	33.2	17.6	23.8	38.2	12.2	28.6	4.1	9.2	0.6	2.2	■	0.7	78.6	83.5
TEXAS																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99.0
Oct.	-	-	-	-	-	-	1.0	0.2	4.3	2.5	15.4	4.1	29.6	13.8	34.5	38.2	15.2	41.2	93.9	98.0
Nov.	-	-	0.4	-	1.8	0.6	6.1	1.8	10.1	6.4	24.5	13.1	35.3	20.4	17.6	34.3	4.2	23.4	89.7	94.5
Dec.	■	-	1.8	■	5.7	0.6	24.6	6.9	20.6	15.7	20.2	23.7	19.1	22.0	7.4	22.1	0.6	9.0	84.1	90.0
After Dec. 31	0.8	-	1.1	0.3	10.6	2.3	28.8	10.2	25.3	20.6	18.1	22.3	11.0	19.7	3.5	17.1	0.8	7.5	82.1	88.5
Total crop	■	-	0.7	■	3.0	0.4	11.0	2.8	12.5	8.0	21.0	13.3	28.8	18.8	17.6	32.2	5.4	24.5	88.7	94.2
ARIZONA																				
Prior to Oct. 1	-	-	-	-	0.5	-	4.3	1.4	29.5	19.3	47.6	65.3	15.6	13.3	2.5	0.7	■	-	85.9	86.6
Oct.	-	-	-	-	0.3	■	5.4	3.3	28.7	30.8	45.3	47.6	18.5	16.1	1.7	2.1	0.1	0.1	86.1	86.3
Nov.	-	-	■	-	0.1	0.1	8.1	4.9	40.1	34.0	40.4	42.2	8.5	14.1	2.1	3.0	0.7	1.7	84.9	86.1
Dec.	-	-	■	-	1.4	0.2	9.7	2.5	48.5	25.5	32.7	51.5	6.5	15.5	0.7	3.2	0.5	1.6	83.8	86.8
After Dec. 31	-	-	-	-	■	0.2	14.6	6.0	48.2	32.7	30.6	43.6	5.0	12.9	1.4	3.6	0.2	1.0	83.5	85.9
Total crop	-	-	■	-	0.4	0.1	8.4	4.0	40.2	30.7	39.0	46.3	9.9	15.1	1.7	2.8	0.4	1.0	84.8	86.3
CALIFORNIA																				
Prior to Oct. 1	-	-	-	-	-	-	0.5	-	1.9	0.8	5.9	7.6	8.7	10.4	38.7	31.4	44.3	49.8	98.0	99.1
Oct.	-	-	-	-	-	■	■	■	0.2	0.6	3.1	3.2	14.2	14.3	39.3	36.8	43.2	45.1	98.5	98.7
Nov.	-	-	-	-	-	-	0.2	0.2	1.7	1.2	8.8	6.3	22.9	19.1	40.3	42.0	26.1	31.2	96.3	97.0
Dec.	■	-	-	-	-	-	0.6	0.3	4.7	3.4	19.4	17.0	36.7	31.3	27.8	34.2	10.8	13.8	93.1	93.9
After Dec. 31	-	-	-	-	0.2	■	1.1	1.5	11.4	9.9	19.5	32.4	33.1	28.0	25.4	20.5	9.3	7.7	92.1	91.0
Total crop	■	-	-	-	■	■	0.1	0.1	1.5	1.2	7.0	6.3	19.3	17.9	37.9	38.2	34.2	36.3	97.1	97.5
UNITED STATES																				
Prior to Oct. 1	■	-	0.1	0.1	1.7	3.1	11.4	13.6	31.0	33.2	36.5	33.5	15.7	12.5	2.5	2.3	1.1	1.7	85.2	84.7
Oct.	■	■	■	■	1.4	0.8	10.5	10.9	29.1	35.9	30.2	25.5	11.5	9.0	8.9	8.5	8.4	9.4	87.1	86.8
Nov.	■	■	0.2	0.2	3.6	2.2	18.7	18.0	31.1	36.5	21.9	20.3	9.7	8.3	9.2	8.7	5.6	5.8	85.3	85.2
Dec.	0.1	-	3.2	0.1	18.3	3.8	34.3	23.3	25.0	38.2	10.4	22.2	5.2	7.5	2.7	3.6	0.8	1.3	79.6	83.1
After Dec. 31	0.5	-	7.1	0.9	27.0	7.2	34.8	27.5	21.1	35.0	6.1	20.7	2.1	6.2	1.0	2.2	0.3	0.3	77.1	81.9
Total crop	■	■	1.5	0.1	7.9	2.3	19.1	16.9	28.2	36.7	23.2	23.1	9.4	8.3	6.0	6.9	4.7	5.7	84.0	85.1

1/ Not available.
■ Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1973-74 with comparisons

Classing Office	Zero Gage Fiber Strength (Mpsi)																				Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1972	1973		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi			Mpsi	
Raleigh	■	-	■	-	1.7	-	18.7	-	49.7	-	25.8	-	3.8	-	0.3	-	-	-	82.6	1/		
Columbia	-	-	■	■	1.3	2.8	16.3	24.3	43.0	49.8	32.2	20.2	6.8	2.9	0.4	■	-	-	83.4	81.8		
Augusta	-	-	-	0.1	0.2	2.7	4.6	26.3	27.4	48.9	45.4	19.6	20.8	2.4	1.6	■	-	-	86.3	81.6		
Atlanta	-	-	0.2	■	2.6	4.6	18.9	32.0	40.4	44.6	30.5	17.1	6.6	1.7	0.8	■	-	-	83.1	81.0		
Birmingham	-	-	0.5	0.2	7.3	3.0	42.7	33.7	37.2	47.9	11.3	14.2	1.0	0.9	-	0.1	■	-	79.7	80.9		
Montgomery	-	-	-	0.5	0.7	6.8	14.9	31.1	36.0	37.5	33.8	18.8	13.2	4.5	1.3	0.8	0.1	-	84.4	81.2		
Greenwood	-	-	-	-	0.7	1.1	8.0	22.7	32.9	52.4	40.8	21.1	15.4	2.7	2.2	■	-	■	85.4	82.0		
Jackson	-	-	-	■	1.4	4.3	13.8	34.4	48.0	48.0	32.0	12.0	4.8	1.3	-	-	-	-	83.3	80.6		
Memphis	-	-	0.1	0.1	4.1	4.2	27.0	26.8	42.2	47.7	21.1	18.6	4.8	2.3	0.7	0.3	■	-	81.9	81.4		
Hayti	■	-	0.3	-	7.7	1.6	31.7	19.2	43.9	43.8	13.9	29.1	2.1	6.0	0.4	0.3	■	■	80.6	83.1		
Blytheville	-	-	■	-	0.6	0.5	9.1	9.8	34.5	39.6	43.6	37.9	11.2	10.3	1.0	1.8	■	0.1	85.0	84.8		
Little Rock	-	-	■	-	0.8	0.2	7.2	11.5	29.0	46.3	45.3	33.0	16.0	8.0	1.6	0.8	0.1	0.1	85.6	84.0		
Winnsboro	■	-	■	-	0.2	0.3	5.6	19.6	33.9	58.5	45.7	19.3	13.6	2.2	1.0	0.1	■	-	85.5	82.2		
Alexandria	-	-	■	■	1.1	2.6	18.4	34.0	54.1	55.2	24.1	7.9	2.2	0.3	0.1	-	■	-	82.4	80.5		
Altus	■	■	1.2	0.7	11.3	9.5	32.7	31.1	33.6	33.6	16.1	18.0	4.3	6.0	0.8	1.1	■	■	80.4	81.0		
Dallas	-	-	■	0.1	0.1	1.7	3.8	11.6	25.5	35.0	48.9	39.0	19.9	11.5	1.7	1.0	0.1	0.1	86.4	84.4		
Austin	-	-	■	■	3.1	1.1	21.4	12.0	44.1	35.9	24.5	36.9	6.3	12.2	0.6	1.7	-	0.2	82.6	84.7		
Corpus Christi	0.1	0.2	1.1	2.5	7.3	16.7	20.0	35.3	36.3	27.6	25.5	13.7	9.3	3.1	0.3	0.9	0.1	-	82.4	79.2		
Harlingen	-	-	■	-	2.7	1.2	26.1	14.1	43.8	40.7	23.6	31.0	3.4	12.0	0.4	1.0	-	-	82.0	84.1		
Abilene	■	-	5.2	0.2	27.7	2.6	43.1	18.8	19.6	42.0	4.0	27.5	0.4	7.5	■	1.3	■	0.1	76.6	83.1		
Lubbock	0.6	■	7.6	0.3	30.4	2.8	39.4	16.7	17.3	38.9	3.3	29.0	1.1	9.0	0.3	2.5	■	0.8	76.1	83.7		
El Paso	■	-	0.4	-	3.5	0.5	10.2	5.2	10.7	11.9	21.5	11.0	28.9	17.1	19.1	28.4	5.7	25.9	89.0	93.6		
Carlsbad	0.2	-	1.9	0.2	12.6	5.5	28.9	18.5	16.3	21.7	11.7	12.5	15.4	11.1	9.2	17.7	3.8	12.8	83.2	87.5		
Phoenix	-	-	-	-	0.3	0.1	8.4	4.0	42.6	30.9	38.8	46.9	9.2	15.5	0.7	2.4	■	0.2	84.6	86.1		
Fresno	-	-	-	-	-	-	■	0.1	0.5	0.3	5.0	3.4	22.6	16.2	39.8	40.8	32.1	39.2	97.1	98.3		
Bakersfield	-	-	-	-	-	-	■	-	0.1	0.1	3.6	3.0	16.2	17.3	40.4	41.1	39.7	38.5	98.2	98.1		
El Centro	■	-	-	■	0.3	■	3.2	1.7	24.4	20.3	49.6	48.7	19.7	25.6	2.6	3.6	0.2	0.1	86.7	87.5		
United States	■	■	1.5	0.1	7.9	2.3	19.1	16.9	28.2	36.7	23.2	23.1	9.4	8.3	6.0	6.9	4.7	5.7	84.0	85.1		

1/ Not available.

■ Less than 0.05 percent.

Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1973-74

Grade Code	Ginnings						Percentages					
	Staple Code						Staple Code					
	40 and shorter	42	44	46	48 and longer	All staples	40 and shorter	42	44	46	48 and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	1,363	33	-	1,396	-	-	5.8	1.6	-	4.5
3 (30)	-	-	13,794	1,255	-	15,049	-	-	58.5	61.9	-	48.9
4 (40)	-	9	6,480	720	-	7,209	-	0.2	27.5	35.5	-	23.4
5 (50)	-	43	1,573	21	-	1,637	-	0.8	6.7	1.0	-	5.3
6 (60)	-	334	355	-	-	689	-	6.5	1.5	-	-	2.2
7 (70)	8	1,930	6	-	-	1,944	17.0	37.4	■	-	-	6.3
8 (80)	-	2,127	-	-	-	2,127	-	41.2	-	-	-	6.9
9 (90)	-	613	-	-	-	613	-	11.9	-	-	-	2.0
10 (00)	39	104	-	-	-	143	83.0	2.0	-	-	-	0.5
All grades	47	5,160	23,571	2,029	-	30,807	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	430	13	-	443	-	-	11.1	4.3	-	10.0
3 (30)	-	-	2,078	112	-	2,190	-	-	53.5	37.3	-	49.5
4 (40)	-	-	1,010	175	-	1,185	-	-	26.0	58.4	-	26.7
5 (50)	-	-	325	-	-	325	-	-	8.4	-	-	7.3
6 (60)	-	97	37	-	-	134	-	38.6	1.0	-	-	3.0
7 (70)	-	80	-	-	-	80	-	31.9	-	-	-	1.8
8 (80)	-	53	-	-	-	53	-	21.1	-	-	-	1.2
9 (90)	-	14	-	-	-	14	-	5.6	-	-	-	0.3
10 (00)	-	7	-	-	-	7	-	2.8	-	-	-	0.2
All grades	-	251	3,880	300	-	4,431	-	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	25	316	13	-	354	-	1.4	0.8	1.2	-	0.8
3 (30)	-	-	19,151	524	-	19,675	-	-	47.9	50.0	-	46.0
4 (40)	-	22	17,268	450	-	17,740	-	1.2	43.2	43.0	-	41.4
5 (50)	-	73	2,578	49	-	2,700	-	4.1	6.4	4.7	-	6.3
6 (60)	-	82	406	-	-	488	-	4.6	1.0	-	-	1.1
7 (70)	-	333	114	11	-	458	-	18.5	0.3	1.1	-	1.1
8 (80)	-	654	87	-	-	741	-	36.4	0.2	-	-	1.7
9 (90)	-	428	40	-	-	468	-	23.8	0.1	-	-	1.1
10 (00)	-	179	56	-	-	235	-	10.0	0.1	-	-	0.5
All grades	-	1,796	40,016	1,047	-	42,859	-	100.0	100.0	100.0	-	100.0
<u>UNITED STATES</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	25	2,109	59	-	2,193	-	0.3	3.1	1.7	-	2.8
3 (30)	-	-	35,023	1,891	-	36,914	-	-	51.9	56.1	-	47.2
4 (40)	-	31	24,758	1,345	-	26,134	-	0.4	36.7	39.8	-	33.5
5 (50)	-	116	4,476	70	-	4,662	-	1.6	6.6	2.1	-	6.0
6 (60)	-	513	798	-	-	1,311	-	7.1	1.2	-	-	1.7
7 (70)	8	2,343	120	11	-	2,482	17.0	32.5	0.2	0.3	-	3.2
8 (80)	-	2,834	87	-	-	2,921	-	39.5	0.1	-	-	3.7
9 (90)	-	1,055	40	-	-	1,095	-	14.6	0.1	-	-	1.4
10 (00)	39	290	56	-	-	385	83.0	4.0	0.1	-	-	0.5
All grades	47	7,207	67,467	3,376	-	78,097 1/	100.0	100.0	100.0	100.0	-	100.0

1/ As reported by the Bureau of the Census, running bales.

■ Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States,
during specified periods, 1973-74

Grade and staple		Ginnings					Total crop
		Prior to Oct. 1	October	November	December	After Dec. 31	
<u>Grade</u>	<u>Code</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	114	1,675	377	27	2,193
3	(30)	-	1,528	13,608	18,199	3,579	36,914
4	(40)	-	428	6,696	13,160	5,850	26,134
5	(50)	-	84	727	1,746	2,105	4,662
6	(60)	-	35	25	366	885	1,311
7	(70)	-	-	-	556	1,926	2,482
8	(80)	-	-	-	198	2,723	2,921
9	(90)	-	-	-	103	992	1,095
10	(00)	-	-	-	30	355	385
All grades		-	2,189	22,731	34,735	18,442	78,097 <u>1/</u>
<u>Staple Code</u>							
40 and shorter		-	-	-	20	27	47
42		-	25	-	1,075	6,107	7,207
44		-	2,029	20,597	32,654	12,187	67,467
46		-	135	2,134	986	121	3,376
48 and longer		-	-	-	-	-	-
All staples		-	2,189	22,731	34,735	18,442	78,097 <u>1/</u>
<u>Grade</u>	<u>Code</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	5.2	7.4	1.1	0.1	2.8
3	(30)	-	69.8	59.8	52.3	19.4	47.2
4	(40)	-	19.6	29.5	37.9	31.8	33.5
5	(50)	-	3.8	3.2	5.0	11.4	6.0
6	(60)	-	1.6	0.1	1.1	4.8	1.7
7	(70)	-	-	-	1.6	10.4	3.2
8	(80)	-	-	-	0.6	14.8	3.7
9	(90)	-	-	-	0.3	5.4	1.4
10	(00)	-	-	-	0.1	1.9	0.5
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple Code</u>							
40 and shorter		-	-	-	0.1	0.1	0.1
42		-	1.1	-	3.1	33.1	9.2
44		-	92.7	90.6	94.0	66.1	86.4
46		-	6.2	9.4	2.8	0.7	4.3
48 and longer		-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

1/ As reported by the Bureau of the Census, running bales.

Average grade..... 3.9

Average staple... 43.9

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1973-74 with comparisons

Readings	State						United States	
	Texas		New Mexico		Arizona		1972	1973
	1972	1973	1972	1973	1972	1973		
	Percent		Percent		Percent		Percent	
2.4 and below	-	0.1	-	0.2	-	*	-	*
2.5	*	0.2	0.1	0.2	-	0.1	*	0.1
2.6	0.4	0.7	0.2	0.4	*	0.2	0.2	0.4
2.7	1.0	1.4	0.3	0.2	0.1	0.4	0.5	0.8
2.8	1.9	2.9	0.5	2.1	0.2	0.7	0.9	1.7
2.9	3.1	3.1	1.0	2.5	0.2	1.2	1.4	2.1
3.0	5.7	4.8	1.9	3.6	0.6	2.3	2.7	3.3
3.1	7.6	5.3	4.1	6.3	1.0	3.1	3.8	4.1
3.2	11.1	5.3	5.8	8.9	2.0	4.5	5.8	5.1
3.3	9.5	5.7	9.2	6.7	2.7	5.3	5.9	5.5
3.4	11.5	7.4	14.7	11.1	3.8	8.1	7.8	8.0
3.5	12.8	8.3	14.3	10.4	7.6	9.2	10.2	8.9
3.6	11.9	9.5	16.1	9.7	11.3	11.7	12.1	10.7
3.7	8.4	9.3	12.0	8.6	12.8	12.3	11.0	10.9
3.8	6.9	11.5	7.1	8.7	15.4	13.6	11.4	12.6
3.9	3.1	6.9	5.8	6.7	14.3	10.9	9.2	9.1
4.0	2.5	7.5	2.8	5.3	11.2	7.7	7.1	7.5
4.1	1.1	4.4	1.5	3.7	8.3	5.0	4.9	4.7
4.2	1.0	3.4	1.6	2.6	5.1	2.1	3.2	2.6
4.3	0.4	1.1	0.5	0.6	2.2	1.2	1.3	1.1
4.4	0.1	0.9	0.2	1.2	0.8	0.3	0.5	0.6
4.5	-	0.3	0.3	0.3	0.2	0.1	0.1	0.2
4.6	-	-	-	-	0.1	-	*	-
4.7	-	*	-	-	0.1	-	*	*
4.8	-	-	-	-	*	-	*	-
4.9	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mlike	3.4	3.6	3.5	3.5	3.8	3.6	3.6	3.6

* Less than 0.05 percent.

Table 10. -- Percentage distribution of marriages according to duration of marriage in the United States, by race and sex, 1950

Duration of marriage	White						Negro					
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Under 1 year	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1 to 4 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
5 to 9 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
10 to 14 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
15 to 19 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
20 to 24 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
25 to 29 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
30 to 34 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
35 to 39 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
40 to 44 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
45 to 49 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
50 to 54 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
55 to 59 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
60 to 64 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
65 to 69 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
70 to 74 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
75 to 79 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
80 to 84 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
85 to 89 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
90 to 94 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
95 to 99 years	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
100 years and over	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

